

EDITORS:

Matthew R. Bennett
Brian Jones
Jasper Knight
Gert Jan Weltje

Sedimentary Geology

Volumes 243–244,
1 January 2012
ISSN 0037-0738

Abstracted/Indexed in: *Geoscience Contents, Geo Abstracts, Current Contents, PASCAL/CNRS, Bulletin Signalétique, and A.G.I.'s Bibliography and Index of Geology*. Also covered in the abstract and citation database *SciVerse Scopus*[®]. Full text available on *SciVerse ScienceDirect*[®].

<i>Clastic sedimentology and the Neoproterozoic glaciations</i>	
The paragenetic history of a Marinoan cap carbonate P.R. Gammon, D.M. McKirdy and H.D. Smith	1
An organodiagenetic model for Marinoan-age cap carbonates P.R. Gammon	17
The paleoclimatic significance of deformation structures in Neoproterozoic successions E. Arnaud	33
The Cryogenian record of glaciation and deglaciation in South Australia D.P. Le Heron	57
<i>Review Articles</i>	
Progress in palaeotsunami research J. Goff, C. Chagué-Goff, S. Nichol, B. Jaffe and D. Dominey-Howes	70
Comparison of earthquake-triggered turbidites from the Saguenay (Eastern Canada) and Reloncavi (Chilean margin) Fjords: Implications for paleoseismicity and sedimentology G. St-Onge, E. Chapron, S. Mulsow, M. Salas, M. Viel, M. Debret, A. Foucher, T. Mulder, T. Winiarski, M. Desmet, P.J.M. Costa, B. Ghaleb, A. Jaouen and J. Locat	89
<i>Research Papers</i>	
Distribution of biomarkers in lacustrine sediments of the Linxia Basin, NE Tibetan Plateau, NW China: Significance for climate change Y. Wang, X. Fang, T. Zhang, Y. Li, Y. Wu, D. He, Y. Gao, P. Meng and Y. Wang	108
Detrital supply from subduction/accretion complexes to the Eocene–Oligocene post-collisional southern Thrace Basin (NW Turkey and NE Greece) A. d'Atri, G.G. Zuffa, W. Cavazza, A.I. Okay and G. Di Vincenzo	117
Giant calcite concretions in aeolian dune sandstones; sedimentological and architectural controls on diagenetic heterogeneity, mid-Cretaceous Iberian Desert System, Spain M.E. Arribas, J.P. Rodríguez-López, N. Meléndez, A.R. Soria and P.L. de Boer	130
Cementation characteristics and age of beachrocks in a fresh-water environment, Lake İznik, NW Turkey A.E. Erginal, N.G. Kiyak, M.Z. Öztürk, M. Avcioglu, M. Bozcu and E. Yiğitbaş	148
Formation processes of methane-derived authigenic carbonates from the Gulf of Cadiz V.H. Magalhães, L.M. Pinheiro, M.K. Ivanov, E. Kozlova, V. Blinova, J. Kolganova, C. Vasconcelos, J.A. McKenzie, S.M. Bernasconi, A.J. Kopf, V. Díaz-del-Río, F.J. González and L. Somoza	155
An end-member algorithm for deciphering modern detrital processes from lake sediments of Lake Donggi Cona, NE Tibetan Plateau, China E. Dietze, K. Hartmann, B. Diekmann, J. Ijmker, F. Lehmkuhl, S. Opitz, G. Stauch, B. Wünnemann and A. Borchers	169
Radiocarbon dating of residual organic matter in travertine formed along the Yumoto Fault in Oga Peninsula, northeast Japan: Implications for long-term hot spring activity under the influence of earthquakes O. Nishikawa, K. Furuhashi, M. Masuyama, T. Ogata, T. Shiraishi and C.-C. Shen	181
Origin of "island dolostones": A case study from the Cayman Formation (Miocene), Cayman Brac, British West Indies H. Zhao and B. Jones	191

<http://www.elsevier.com/locate/sedgeo>

ExpresSed

A RAPID PUBLICATION OUTLET FOR SHORT AND ORIGINAL CONTRIBUTIONS

Sedimentary Geology includes a "letters" section, entitled *ExpresSed*, which has been initiated to permit the rapid publication of short, original papers. Papers submitted to this section will undergo a direct, fast refereeing and production process to guarantee publication of accepted papers in about 4 months after submission. To qualify for publication in *ExpresSed*, the paper should be highly original, and/or contain important new results but it should not exceed eight printed pages.

Manuscripts should be submitted online at <http://ees.elsevier.com/sedgeo>.



Abstracted/Indexed in: Geoscience Contents, Geo Abstracts, Current Contents, PASCAL/CNRS, Bulletin Signalétique, and A.G.I.'s Bibliography and Index of Geology. Also covered in the abstract and citation database SciVerse Scopus®. Full text available on SciVerse ScienceDirect®.

The Upper Cenomanian–Lower Turonian of the Preafrican Trough, Morocco C. Lézin, B. Andreu, E.M. Ettachfini, M.-J. Wallez, V. Lebedel and Ch. Meister	1
Sr–Nd isotopic and geochemical constraints on provenance of late Paleozoic to early cretaceous sedimentary rocks in the Western Hills of Beijing, North China: Implications for the uplift of the northern North China Craton S. Xie, Y. Wu, S. Gao, X. Liu, L. Zhou, L. Zhao and Z. Hu	17
Dynamic controls on accretion and lithification of modern gypsum-dominated thrombolites, Los Roques, Venezuela D.A. Petrash, M.K. Gingras, S.V. Lalonde, F. Orange, E. Pecoits and K.O. Konhauser	29
Hydrodynamic processes, velocity structure and stratification in natural turbidity currents: Results inferred from field data in the Var Turbidite System S. Migeon, T. Mulder, B. Savoye and F. Sage	48
Sandstones, glaciers, burrows and transgressions: The Lower Palaeozoic of Jabel az-Zalmah, Al Kufrah Basin, Libya D.P. Le Heron and J.P. Howard	63
Glacioeustatic cyclicity of a Pennsylvanian carbonate platform in a foreland basin setting: An example from the Bachende Formation of the Cantabrian Zone (NW Spain) D. Corrochano, P. Barba and J.R. Colmenero	76

<http://www.elsevier.com/locate/sedgeo>

ExpresSed

A RAPID PUBLICATION OUTLET FOR SHORT AND ORIGINAL CONTRIBUTIONS

Sedimentary Geology includes a “letters” section, entitled *ExpresSed*, which has been initiated to permit the rapid publication of short, original papers. Papers submitted to this section will undergo a direct, fast refereeing and production process to guarantee publication of accepted papers in about 4 months after submission. To qualify for publication in *ExpresSed*, the paper should be highly original, and/or contain important new results but it should not exceed eight printed pages.

Manuscripts should be submitted online at <http://ees.elsevier.com/sedgeo>.



Vols. 247–248, 15 March 2012

**Sedimentary
Geology**

CONTENTS

Abstracted/Indexed in: Geoscience Contents, Geo Abstracts, Current Contents, PASCAL/CNRS, Bulletin Signalétique, and A.G.I.'s Bibliography and Index of Geology. Also covered in the abstract and citation database SciVerse Scopus®. Full text available on SciVerse ScienceDirect®.

Review Articles

A review of Tertiary climate changes in southern South America and the Antarctic Peninsula. Part 1: Oceanic conditions J.P. Le Roux	1
A review of Tertiary climate changes in southern South America and the Antarctic Peninsula. Part 2: continental conditions J.P. Le Roux	21

Research Papers

Record of epicontinental platform evolution and volcanic activity during a major rifting phase: The Late Triassic Zamoranos Formation (Betic Cordillera, S Spain) A. Pérez-López, F. Pérez-Valera and A.E. Götz	39
Temperate carbonate debrites and short-lived earliest Miocene yo-yo tectonics, eastern Taranaki Basin margin, New Zealand S.D. Hood and C.S. Nelson	58
Upper Albian rudist buildups of the Edwards Formation in central Texas: A GPR-assisted reservoir analog study D. Mukherjee, S.D. Khān and C. Sullivan	71

<http://www.elsevier.com/locate/sedgeo>

ExpresSed

A RAPID PUBLICATION OUTLET FOR SHORT AND ORIGINAL CONTRIBUTIONS

Sedimentary Geology includes a "letters" section, entitled *ExpresSed*, which has been initiated to permit the rapid publication of short, original papers. Papers submitted to this section will undergo a direct, fast refereeing and production process to guarantee publication of accepted papers in about 4 months after submission. To qualify for publication in *ExpresSed*, the paper should be highly original, and/or contain important new results but it should not exceed eight printed pages.

Manuscripts should be submitted online at <http://ees.elsevier.com/sedgeo>.

Available online at www.sciencedirect.com

SciVerse ScienceDirect



0037-0738(20120315)247/248;1-Y



Vols. 249–250, 1 April 2012

**Sedimentary
Geology**

CONTENTS

Abstracted/Indexed in: Geoscience Contents, Geo Abstracts, Current Contents, PASCAL/CNRS, Bulletin Signalétique, and A.G.I.'s Bibliography and Index of Geology. Also covered in the abstract and citation database SciVerse Scopus®. Full text available on SciVerse ScienceDirect®.

Non-pelletal glauconite from the Campanian Qusseir Formation, Egypt: Implication for glauconitization H. Baioumy and S. Boulis	1
Determination of the origin and processes of deposition of deep-sea sediments from the composition of contained organic matter: An example from two forearc basins on the landward flank of the Nankai Trough, Japan A. Omura, K. Ikehara, T. Sugai, M. Shirai and J. Ashi	10
Sedimentary evolution of the continental Early–Middle Triassic Cañizar Formation (Central Spain): Implications for life recovery after the Permian–Triassic crisis J. López-Gómez, B. Galán-Abellán, R. de la Horra, J.F. Barrenechea, A. Arche, S. Bourquin, M. Marzo and M. Durand	26
Intrinsic versus extrinsic controls on the development of calcite dendrite bushes, Shuzhishi Spring, Rehai geothermal area, Tengchong, Yunnan Province, China B. Jones and X. Peng	45
Corrigendum to “Record of glacial–eustatic sea-level fluctuations in complex middle to late Pennsylvanian facies in the Northern Appalachian Basin and relation to similar events in the Midcontinent basin” [Sedimentary Geology Volume 238 (2011) 79–100] E.S. Belt, P.H. Heckel, L.J. Lentz, W.A. Bragonier and T.W. Lyons	63

<http://www.elsevier.com/locate/sedgeo>

ExpresSed

A RAPID*PUBLICATION OUTLET FOR SHORT AND ORIGINAL CONTRIBUTIONS

Sedimentary Geology includes a “letters” section, entitled *ExpresSed*, which has been initiated to permit the rapid publication of short, original papers. Papers submitted to this section will undergo a direct, fast refereeing and production process to guarantee publication of accepted papers in about 4 months after submission. To qualify for publication in *ExpresSed*, the paper should be highly original, and/or contain important new results but it should not exceed eight printed pages.

Manuscripts should be submitted online at <http://ees.elsevier.com/sedgeo>.



0037-0738(20120401)249/250;1-6

Available online at www.sciencedirect.com

SciVerse ScienceDirect

Abstracted/Indexed in: Geoscience Contents, Geo Abstracts, Current Contents, PASCAL/CNRS, Bulletin Signalétique, and A.G.I.'s Bibliography and Index of Geology. Also covered in the abstract and citation database SciVerse Scopus®. Full text available on SciVerse ScienceDirect®.

Discriminating glacier thermal and dynamic regimes in the sedimentary record M.J. Hambrey and N.F. Glasser	1
High frequency eustatic sea-level changes during the Middle to early Late Ordovician of southern Jordan: Indirect evidence for a Darrwilian Ice Age in Gondwana B.R. Turner, H.A. Armstrong, C.R. Wilson and I.M. Makhlof	34
Depositional history of diamictites from the Late Paleoproterozoic Dalma Formation (E India) R. Mazumder and A.J. van Loon	49
Kilometre-scale palaeoscarpments as evidence for Cretaceous synsedimentary tectonics in the External Briançonnais Domain (Ligurian Alps, Italy) C. Bertok, L. Martire, E. Perotti, A. d'Atri and F. Piana	58

<http://www.elsevier.com/locate/sedgeo>

ExpresSed

A RAPID PUBLICATION OUTLET FOR SHORT AND ORIGINAL CONTRIBUTIONS

Sedimentary Geology includes a "letters" section, entitled *ExpresSed*, which has been initiated to permit the rapid publication of short, original papers. Papers submitted to this section will undergo a direct, fast refereeing and production process to guarantee publication of accepted papers in about 4 months after submission. To qualify for publication in *ExpresSed*, the paper should be highly original, and/or contain important new results but it should not exceed eight printed pages.

Manuscripts should be submitted online at <http://ees.elsevier.com/sedgeo>.



Abstracted/Indexed in: Geoscience Contents, Geo Abstracts, Current Contents, PASCAL/CNRS, Bulletin Signalétique, and A.G.I.'s Bibliography and Index of Geology. Also covered in the abstract and citation database SciVerse Scopus®. Full text available on SciVerse ScienceDirect®.

The Miocene Nullarbor Limestone, southern Australia; deposition on a vast subtropical epeiric platform L.G. O'Connell, N.P. James and Y. Bone	1
Energy regimes for aeolian sand grain surface textures J.R. Marshall, P.A. Bull and R.M. Morgan	17
Large scale facies change in the middle Eocene South-Pyrenean foreland basin: The role of tectonics and prelude to Cenozoic ice-ages D. Huyghe, S. Castelltort, F. Mouthereau, J. Serra-Kiel, P.-Y. Filleaudeau, L. Emmanuel, B. Berthier and M. Renard	25
Middle Cambrian siliceous sponge-calcimicrobe buildups (Daegi Formation, Korea): 2 Metazoan buildup constituents in the aftermath of the Early Cambrian extinction event J. Hong, S.-H. Cho, S.-J. Choh, J. Woo and D.-J. Lee	47

<http://www.elsevier.com/locate/sedgeo>

ExpresSed

A RAPID PUBLICATION OUTLET FOR SHORT AND ORIGINAL CONTRIBUTIONS

Sedimentary Geology includes a "letters" section, entitled *ExpresSed*, which has been initiated to permit the rapid publication of short, original papers. Papers submitted to this section will undergo a direct, fast refereeing and production process to guarantee publication of accepted papers in about 4 months after submission. To qualify for publication in *ExpresSed*, the paper should be highly original, and/or contain important new results but it should not exceed eight printed pages.

Manuscripts should be submitted online at <http://ees.elsevier.com/sedgeo>.





ELSEVIER

Vols. 255–256, 15 May 2012

CONTENTS

**Sedimentary
Geology**

Abstracted/Indexed in: Geoscience Contents, Geo Abstracts, Current Contents, PASCAL/CNRS, Bulletin Signalétique, and A.G.I.'s Bibliography and Index of Geology. Also covered in the abstract and citation database SciVerse Scopus®. Full text available on SciVerse ScienceDirect®.

Glacier-permafrost interactions: Processes, products and glaciological implications	
R.I. Waller, J.B. Murton and L. Kristensen	1
Downslope-migrating large dunes in the Chattian carbonate ramp of the Majella Mountains (Central Apennines, Italy)	
M. Brandano, L. Lipparini, V. Campagnoni and L. Tomassetti	29
Exceptional preservation of Mn-oxidizing microbes in cave stromatolites (El Soplao, Spain)	
R.P. Lozano and C. Rossi	42
Synsedimentary diagenesis in a Cryogenian reef complex: Ubiquitous marine dolomite precipitation	
A.v.S. Hood and M.W. Wallace	56

<http://www.elsevier.com/locate/sedgeo>

ExpresSed

A RAPID PUBLICATION OUTLET FOR SHORT AND ORIGINAL CONTRIBUTIONS

Sedimentary Geology includes a "letters" section, entitled *ExpresSed*, which has been initiated to permit the rapid publication of short, original papers. Papers submitted to this section will undergo a direct, fast refereeing and production process to guarantee publication of accepted papers in about 4 months after submission. To qualify for publication in *ExpresSed*, the paper should be highly original, and/or contain important new results but it should not exceed eight printed pages.

Manuscripts should be submitted online at <http://ees.elsevier.com/sedgeo>.



0037-0738(20120515)255/256;1-U

Available online at www.sciencedirect.com

SciVerse ScienceDirect



ELSEVIER

Vols. 257–260, 1 June 2012

CONTENTS

**Sedimentary
Geology**

Abstracted/Indexed in: Geoscience Contents, Geo Abstracts, Current Contents, PASCAL/CNRS, Bulletin Signalétique, and A.G.I.'s Bibliography and Index of Geology. Also covered in the abstract and citation database SciVerse Scopus®. Full text available on SciVerse ScienceDirect®.

Simplified process modeling of river avulsion and alluvial architecture: Connecting models and field data

E.A. Hajek and M.A. Wolinsky 1

Depositional evolution of the Early Cretaceous Sihetun Lake and implications for regional climatic and volcanic history in western Liaoning, NE China

B. Jiang, F.T. Fürsich and M. Hethke 31

Rapid precipitation of silica (opal-A) disguises evidence of biogenicity in high-temperature geothermal deposits: Case study from Dagunguo hot spring, China

X. Peng and B. Jones 45

Sedimentology of resedimented carbonates: Facies and geometrical characterisation of an upper Cretaceous calciturbidite system in Albania

Y. Rubert, M. Jati, C. Loisy, A. Cerepi, G. Foto and K. Muska 63

<http://www.elsevier.com/locate/sedgeo>



0037-0738(20120601)257-260;1-0

Available online at www.sciencedirect.com

SciVerse ScienceDirect

Abstracted/Indexed in: Geoscience Contents, Geo Abstracts, Current Contents, PASCAL/CNRS, Bulletin Signalétique, and A.G.I.'s Bibliography and Index of Geology. Also covered in the abstract and citation database SciVerse Scopus®. Full text available on SciVerse ScienceDirect®.

Identifying glacial influences on sedimentation in tectonically-active, mass flow dominated arc basins with reference to the Neoproterozoic Gaskiers glaciation (c. 580 Ma) of the Avalonian-Cadomian Orogenic Belt S.L. Carto and N. Eyles	1
Tributary, distributary and other fluvial patterns: What <i>really</i> represents the norm in the continental rock record? C.R. Fielding, P.J. Ashworth, J.L. Best, E.W. Prokocki and G.H.S. Smith	15
Prolonged carbonate diagenesis under an evolving late cenozoic climate; Nullarbor Plain, southern Australia C.R. Miller, N.P. James and Y. Bone	33
Outcrop gamma-ray logging of siliciclastic turbidites: Separating the detrital provenance signal from facies in the foreland-basin turbidites of the Moravo-Silesian basin, Czech Republic D. Šimíček, O. Bábek and J. Leichmann	50
Genetic types and sequence stratigraphy models of Palaeogene slope break belts in Qikou Sag, Huanghua Depression, Bohai Bay Basin, Eastern China C. Huang, H. Wang, Y. Wu, J. Wang, S. Chen, P. Ren, Y. Liao, S. Zhao and C. Xia	65
Soft-sediment deformation structures from the Paleoproterozoic Damtha Group of Garhwal Lesser Himalaya, India S.K. Ghosh, A.K. Pandey, P. Pandey, Y. Ray and S. Sinha	76
Tsunami and seiche-triggered deformation within offshore sediments G.I. Alsop and S. Marco	90
Early growth stage of a large delta — Transformation from estuarine-platform to deltaic-progradational conditions (the northeastern Mekong River Delta, Vietnam) T.J.J. Hanebuth, U. Proske, Y. Saito, V.L. Nguyen and T.K.O. Ta	108
Large Igneous Province and magmatic arc sourced Permian–Triassic volcanogenic sediments in China J. Yang, P.A. Cawood, Y. Du, H. Huang, H. Huang and P. Tao	120


<http://www.elsevier.com/locate/sedgeo>





ELSEVIER

Sedimentary Geology

journal homepage: www.elsevier.com/locate/sedgeo

Special Issue

Signatures of microbes and microbial mats and the sedimentary record

Edited by

E.H. Bouougri^a, H. Porada^b, J. Reitner^b, G. Gerdes^c^aDepartment of Geology, Faculty of Sciences Semlalia (FSSM), Cadi-Ayyad University, 40020-Marrakech, Morocco^bGeosciences Centre (GZG), Georg-August University of Göttingen, Goldschmidtstrß 3, D-37077-Göttingen, Germany^cDepartment of Marine Science, c/o Senckenberg Research Institute, Südstrand 40, D-26382 Wilhelmshaven, Germany

CONTENTS

Preface

Introduction to the special issue "Signatures of microbes and microbial mats and the sedimentary record"

E.H. Bouougri, H. Porada, J. Reitner and G. Gerdes 1

Part I - Microbial biomineralisations

Magnesite formation by microbial activity: Evidence from a Miocene hypersaline lake

M.E. Sanz-Montero and J.P. Rodríguez-Aranda 6

Multi-scale study of the role of the biofilm in the formation of minerals and fabrics in calcareous tufa

E. Perri, E. Manzo and M.E. Tucker 16

Microorganism-mediated preservation of *Planolites*, a common trace fossil from the Harkless Formation, Cambrian of Nevada, USA

S. Yeun Ahn and L.E. Babcock 30

Part II- Microbial communities and Microbial mat-related structures

Benthic prokaryotic community dynamics along the Ardencaple Canyon, Western Greenland Sea

N.-V. Quéric and T. Soltwedel 36

Environmental controls on microbial community cycling in modern marine stromatolites

E.M. Bowlin, J.S. Klaus, J.S. Foster, M.S. Andres, L. Custals and R.P. Reid 45

Wind-induced mat deformation structures in recent tidal flats and sabkhas of SE-Tunisia and their significance for environmental interpretation of fossil structures

E.H. Bouougri and H. Porada 56

A case study of microbial mat-related features in coastal epeiric sandstones from the Paleoproterozoic Pretoria Group (Transvaal Supergroup, Kaapvaal craton, South Africa); The effect of preservation (reflecting sequence stratigraphic models) on the relationship between mat features and inferred paleoenvironment

P.G. Eriksson, R. Bartman, O. Catuneanu, R. Mazumder and N. Lenhardt 67

Part III - Organo-sedimentary accretion and microbial deposits

Lagoon microbialites on Isla Angel de la Guarda and associated peninsular shores, Gulf of California (Mexico)

M.E. Johnson, J. Ledesma-Vázquez, D.H. Backus and M.R. González 76

Sedimentology and temporal distribution of microbial mats from Brejo do Espinho, Rio de Janeiro, Brazil

D.O. Delfino, M.D. Wanderley, L.H. Silva e Silva, F. Feder and F.A.S. Lopes 85

An Upper Turonian fine-grained shallow marine stromatolite bed from the Muñecas Formation, Northern Iberian Ranges, Spain M. Rodríguez-Martínez, F. Sánchez, E.O. Walliser and J. Reitner	96
Influence of local sedimentary conditions on development of microbialites in the Oxfordian carbonate buildups from the southern part of the Kraków–Częstochowa Upland (South Poland) J. Matyszkiewicz, A. Kochman and A. Duś	109
Characterization of the micrites in the Late Miocene vermetid carbonate bioconstructions, Salento Peninsula, Italy: Record of a microbial/metazoan association A. Guido, A. Vescogni, A. Mastandrea, F. Demasi, F. Tosti, A. Naccarato, A. Tagarelli and F. Russo	133
Proterozoic microbial reef complexes and associated hydrothermal mineralizations in the Banfora Cliffs, Burkina Faso J.J. Álvaro and D. Vizcaíno	144
Paleoenvironmental reconstruction of microbial mud mound derived boulders from gravity-flow polymictic megabreccias (Visean, SW Spain) M. Rodríguez-Martínez, I. Moreno-González, R. Mas and J. Reitner	157
 <i>Part IV - Processes and products in submarine cold seeps and terrestrial mud volcanoes</i>	
Tracing organic compounds in aerobically altered methane-derived carbonate pipes (Gulf of Cadiz, SW Iberia) R. Merinero, M. Ruiz-Bermejo, C. Menor-Salván, R. Lunar and J. Martínez-Frías	174
Iron-framboids in the hydrocarbon-related Middle Devonian Hollard Mound of the Anti-Atlas mountain range in Morocco: Evidence of potential microbial biosignatures B. Cavalazzi, R. Barbieri, S.L. Cady, A.D. George, S. Gennaro, F. Westall, A. Lui, R. Canteri, A.P. Rossi, G.G. Ori and K. Taj-Eddine	183
Organic matter remains in the laminated microfabrics of the Kess-Kess mounds (Hamar Laghdad, Lower Devonian, Morocco) A. Guido, A. Mastandrea, F. Demasi, F. Tosti and F. Russo	194
Terrestrial mud volcanoes of the Salse di Nirano (Italy) as a window into deeply buried organic-rich shales of Plio-Pleistocene age C. Heller, M. Blumenberg, M. Hoppert, M. Taviani and J. Reitner	202
Aerobic and anaerobic methane oxidation in terrestrial mud volcanoes in the Northern Apennines C. Wrede, S. Brady, S. Rockstroh, A. Dreier, S. Kokoschka, S.M. Heinzlmann, C. Heller, J. Reitner, M. Taviani, R. Daniel and M. Hoppert	210



ELSEVIER

Vols. 265–266, 15 July 2012

CONTENTS

**Sedimentary
Geology**

Abstracted/Indexed in: Geoscience Contents, Geo Abstracts, Current Contents, PASCAL/CNRS, Bulletin Signalétique, and A.G.I.'s Bibliography and Index of Geology. Also covered in the abstract and citation database SciVerse Scopus®. Full text available on SciVerse ScienceDirect®.

Triassic Latemar cycle tops — Subaerial exposure of platform carbonates under tropical arid climate
 N. Christ, A. Immenhauser, F. Amour, M. Mutti, R. Preston, F.F. Whitaker, A. Peterhänsel, S.O. Egenhoff, P.A. Dunn and S.M. Agar 1

Late Eocene–Neogene sedimentary geology of the Girne (Kyrenia) Range, northern Cyprus: A case history of sedimentation related to progressive and diachronous continental collision
 G.A. McCay and A.H.F. Robertson 30

Holocene evolution of the Great Barrier Reef: Insights from 3D numerical modelling
 S.J. Barrett and J.M. Webster 56

Porosity and hydric behavior of typical calcite microfabrics in stalagmites
 M.B. Muñoz-García, P. López-Arce, M.E. Fernández-Valle, J. Martín-Chivelet and R. Fort 72

Relation between stratigraphic architecture and multi-scale heterogeneities in carbonate platforms: The Barremian–lower Aptian of the Monts de Vaucluse, SE France
 P. Leonide, J. Borgomano, J.-P. Masse and S. Doublet 87

Chemical indices (CIA and WIP) as proxies for integrated chemical weathering in China: Inferences from analysis of fluvial sediments
 J. Shao, S. Yang and C. Li 110

Seaweed-assisted, benthic gravel transport by tidal currents
 S.E. Frey and S.E. Dashtgard 121

Sedimentary records of the Yangtze Block (South China) and their correlation with equivalent Neoproterozoic sequences on adjacent continents
 W. Wang and M.-F. Zhou 126

Deep-lacustrine transformation of sandy debrites into turbidites, Upper Triassic, Central China
 C. Zou, L. Wang, Y. Li, S. Tao and L. Hou 143

Downslope coarsening in aeolian grainflows of the Navajo Sandstone
 D.B. Loope, J.F. Elder and M.R. Sweeney 156

Anatomy of major coal successions: Facies analysis and sequence architecture of a brown coal-bearing valley fill to lacustrine tract (Upper Valdarno Basin, Northern Apennines, Italy)
 A. Ielpi 163

Pliocene–Lower Pleistocene shallow-water mixed siliciclastics and carbonates (Yanigua and Los Haitises formations) in eastern Hispaniola (Dominican Republic)
 J.C. Braga, A. Díaz de Neira, E. Lasseur, J. Mediato, J. Aguirre, M. Abad, P.P. Hernaiz-Huerta, J. Monthel, F. Pérez-Valera and E. Lopera 182

Textural transition in an aragonite travertine formed under various flow conditions at Pancuran Pitu, Central Java, Indonesia
 T. Okumura, C. Takashima, F. Shiraishi, Akmaluddin and A. Kano 195

<http://www.elsevier.com/locate/sedgeo>



0037-0738(20120715)265/266;1-M

Available online at www.sciencedirect.com

SciVerse ScienceDirect



Abstracted/Indexed in: Geoscience Contents, Geo Abstracts, Current Contents, PASCAL/CNRS, Bulletin Signalétique, and A.G.I.'s Bibliography and Index of Geology. Also covered in the abstract and citation database SciVerse Scopus®. Full text available on SciVerse ScienceDirect®.

Floods, floodplains, delta plains — A satellite imaging approach J.P.M. Syvitski, I. Overeem, G.R. Brakenridge and M. Hannon	1
Tetradiiid-siliceous sponge patch reefs from the Xiazhen Formation (late Katian), southeast China: A new Late Ordovician reef association S.-W. Kwon, J. Park, S.-J. Choh, D.-C. Lee and D.-J. Lee	15
Record of tide-wave influence on the coal-bearing Permian Barakar Formation, Raniganj Basin, India B. Bhattacharya, S. Bandyopadhyay, S. Mahapatra and S. Banerjee	25
Genesis of fabric-destructive dolostones: A case study of the Brac Formation (Oligocene), Cayman Brac, British West Indies H. Zhao and B. Jones	36
First note on Holocene coquinite on Thrace (Black Sea) coast of Turkey A.E. Erginal, Y.L. Ekinci, A. Demirci, E.K. Elmas and H. Kaya	55
Detrital zircon provenance of Upper Ordovician and Silurian strata in the northeastern Yangtze Block: Response to orogenesis in South China Y. Xu, Y. Du, P.A. Cawood, Y. Zhu, W. Li and W. Yu	63
Hummocky cross-stratification-like structures and combined-flow ripples in the Punta Negra Formation (Lower-Middle Devonian, Argentine Precordillera): A turbiditic deep-water or storm-dominated prodelta inner-shelf system? G. Basilici, P.H.V. de Luca and D.G. Poiré	73
Environmental control on concretion-forming processes: Examples from Paleozoic terrigenous sediments of the North Gondwana margin, Armorican Massif (Middle Ordovician and Middle Devonian) and SW Sardinia (Late Ordovician) M.-P. Dabard and A. Loi	93
Detrital quartz and quartz cement in Upper Triassic reservoir sandstones of the Sichuan basin: Characteristics and mechanisms of formation based on cathodoluminescence and electron backscatter diffraction analysis B. Zhang, J. Zhang, S. Yan, Z. Gu and X. Wang	104

<http://www.elsevier.com/locate/sedgeo>





ELSEVIER

Vols. 269–270, 15 August 2012

CONTENTS

**Sedimentary
Geology**

Abstracted/Indexed in: Geoscience Contents, Geo Abstracts, Current Contents, PASCAL/CNRS, Bulletin Signalétique, and A.G.I.'s Bibliography and Index of Geology. Also covered in the abstract and citation database SciVerse Scopus®. Full text available on SciVerse ScienceDirect®.

Sedimentology of the Neoproterozoic (c. 580 Ma) Squantum 'Tillite', Boston Basin, USA: Mass flow deposition in a deep-water arc basin lacking direct glacial influence
 S.L. Carto and N. Eyles 1

Tectonic triggering of slump sheets in the Upper Cretaceous carbonate succession of the Porto Selvaggio area (Salento peninsula, southern Italy): Synsedimentary tectonics in the Apulian Carbonate Platform
 G. Mastrogiacomo, M. Moretti, G. Owen and L. Spalluto 15

Geophysical surveys of a pluvial lake barrier deposit, Beatty Junction, Death Valley, California, USA
 M.S. Craig, H.M. Jol, L. Teitler and D.A. Warnke 28

Birth and demise of a Middle Jurassic isolated shallow-marine carbonate platform on a tilted fault block: Example from the Southern Iberian continental palaeomargin
 V. Navarro, P.A. Ruiz-Ortiz and J.M. Molina 37

Amorphous calcium carbonate associated with biofilms in hot spring deposits
 B. Jones and X. Peng 58

Unusual occurrence and stratigraphic significance of the *Glossifungites* ichnofacies in a submarine paleo-canyon — Example from a Pliocene shelf-edge delta, Southeast Trinidad
 S. Dasgupta and L.A. Buatois 69

<http://www.elsevier.com/locate/sedgeo>



0037-0738(20120815)269/270;1-K

Available online at www.sciencedirect.com

SciVerse ScienceDirect



ELSEVIER

Vols. 271–272, 1 October 2012

CONTENTS

**Sedimentary
Geology**

Abstracted/Indexed in: Geoscience Contents, Geo Abstracts, Current Contents, PASCAL/CNRS, Bulletin Signalétique, and A.G.I.'s Bibliography and Index of Geology. Also covered in the abstract and citation database SciVerse Scopus®. Full text available on SciVerse ScienceDirect®.

Spatio-temporal evolution of a Tertiary carbonate platform margin and adjacent basinal deposits M.E.J. Wilson, J.L.C. Chambers, C. Manning and D.S. Nas	1
Shallow-water marl–limestone alternations in the Late Jurassic of western France: Cycles, storm event deposits or both? C. Colombié, J. Schnyder and D. Carcel	28
A facies model for internalites (internal wave deposits) on a gently sloping carbonate ramp (Upper Jurassic, Ricla, NE Spain) B. Bádenas, L. Pomar, M. Aurell and M. Morsilli	44
Mineral precipitation on modern siliciclastic tidal flats colonized by microbial mats D.G. Cuadrado, N.B. Carmona and C.N. Bourmod	58
Sequence stratigraphic analysis of Cenomanian greenhouse palaeosols: A case study from southern Patagonia, Argentina A.N. Varela, G.D. Veiga and D.G. Poiré	67

<http://www.elsevier.com/locate/sedgeo>



0037-0738(20121001)271/272;1-Z

Available online at www.sciencedirect.com

SciVerse ScienceDirect

Abstracted/Indexed in: Geoscience Contents, Geo Abstracts, Current Contents, PASCAL/CNRS, Bulletin Signalétique, and A.G.I.'s Bibliography and Index of Geology. Also covered in the abstract and citation database SciVerse Scopus®. Full text available on SciVerse ScienceDirect®.

Multiple scale characterization of sand-rich distal lobe deposit variability: Examples from the Annot Sandstones Formation, Eocene–Oligocene, SE France S. Etienne, T. Mulder, M. Bez, G. Desaubliaux, A. Kwasniewski, O. Parize, E. Dujoncquoy and T. Salles	1
Detrital zircon U–Pb ages of a late-Variscan Carboniferous succession associated with the Porto-Tomar shear zone (West Portugal): Provenance implications P. Dinis, T. Andersen, G. Machado and F. Guimarães	19
Using high-resolution stratigraphy and structural analysis to constrain polyphase tectonics in wedge-top basins: Inferences from the late Tortonian Scillato Basin (central-northern Sicily) C. Gugliotta and M. Gasparo Morticelli	30
Gradual, catastrophic and human induced environmental changes from a coastal lake, southern New Zealand M. Schallenberg, J. Goff and M.A. Harper	48
Holocene evolution of bottom sediment distribution on the continental shelves of the Bohai Sea, Yellow Sea and East China Sea Q. Chen and Y. Zhu	58
Carbonate facies of the Upper Triassic Ojo Huelos Member, San Pedro Arroyo Formation (Chinle Group), southern New Mexico: Paleoclimatic implications L.H. Tanner and S.G. Lucas	73
Wind energy environments and aeolian sand characteristics along the Qinghai–Tibet Railway, China K. Zhang, J. Qu, Q. Han and Z. An	91

<http://www.elsevier.com/locate/sedgeo>





ELSEVIER

Vols. 275–276, 1 November 2012

CONTENTS

**Sedimentary
Geology**

Abstracted/Indexed in: Geoscience Contents, Geo Abstracts, Current Contents, PASCAL/CNRS, Bulletin Signalétique, and A.G.I.'s Bibliography and Index of Geology. Also covered in the abstract and citation database SciVerse Scopus®. Full text available on SciVerse ScienceDirect®.

Reconstruction of Tertiary palaeovalleys in the South Alpine Foreland Basin of France (Eocene–Oligocene of the Castellane arc) A.-S. Grosjean, B. Pittet, S. Ferry, G. Mahéo and V. Gardien	1
Bayhead delta interpretation of an Upper Pennsylvanian sheetlike sandbody and the broader understanding of transgressive deposits in cyclothems R.M. Joeckel and J.T. Korus	22
Paleolimnology evolution in rift basins: the Ischigualasto–Villa Unión Basin (Central-Western Argentina) during the Triassic A.C. Mancuso and A.T. Caselli	38
Microtextural characteristics of quartz grains transported and deposited by tsunamis and storms P.J.M. Costa, C. Andrade, A.G. Dawson, W.C. Mahaney, M.C. Freitas, R. Paris and R. Taborda	55
Origin and K/Ar age of cryptomelane-bearing Sn placers on silcretes, SE Germany H.G. Dill and K. Wemmer	70
Preservation of forcing signals in shallow water carbonate sediments J. Hill, R. Wood, A. Curtis and D.M. Tetzlaff	79

<http://www.elsevier.com/locate/sedgeo>



0037-0738(20121101)275/276;1-Q

Available online at www.sciencedirect.com

SciVerse ScienceDirect



ELSEVIER

Vols. 277–278, 15 November 2012

CONTENTS

**Sedimentary
Geology**

Abstracted/Indexed in: Geoscience Contents, Geo Abstracts, Current Contents, PASCAL/CNRS, Bulletin Signalétique, and A.G.I.'s Bibliography and Index of Geology. Also covered in the abstract and citation database SciVerse Scopus®. Full text available on SciVerse ScienceDirect®.

Lacustrine carbonates of the northern Great Plains of Canada F.M. Last and W.M. Last	1
Impacts of flamingos on saline lake margin and shallow lacustrine sediments in the Kenya Rift Valley J.J. Scott, R.W. Renaut and R.B. Owen	32
Seismites as a tool in the palaeoenvironmental reconstruction of fluvial deposits: The Cambrian Guarda Velha Formation, southern Brazil M.G.M. Santos, R.P. Almeida, N.P. Mountney and A.R.S. Fragoso-Cesar	52
The Azuaje travertine: an example of aragonite deposition in a recent volcanic setting, N Gran Canaria Island, Spain A. Rodríguez-Berriguete, A.M. Alonso-Zarza, M.C. Cabrera and A. Rodríguez-Gonzalez	61
Substrate-controlled ichnofacies along a marine sequence boundary: The Intra-Valanginian Discontinuity in central Neuquén Basin (Argentina) E. Schwarz and L.A. Buatois	72

<http://www.elsevier.com/locate/sedgeo>




0037-0738(20121115)277/278;1-F

Available online at www.sciencedirect.com

SciVerse ScienceDirect



ELSEVIER



Special Issue

Modern and Ancient Tidal Depositional Systems: Perspectives, Models and Signatures

Edited by

Sergio G. Longhitano^a, Donatella Mellere^b, R. Bruce Ainsworth^c^aDepartment of Science, University of Basilicata, 85100 Potenza, Italy^bExploration New Venture, Premier-Oil, Verven 4, Stavanger 4004, Norway^cUniversity of Adelaide, Australian School of Petroleum, SA5000 Adelaide, Australia

CONTENTS


Preface		
S.G. Longhitano, D. Mellere and R.B. Ainsworth	1	1
<i>Introductory Paper</i>		
Tidal depositional systems in the rock record: A review and new insights		
S.G. Longhitano, D. Mellere, R.J. Steel and R.B. Ainsworth	2	2
<i>Perspectives and Modeling</i>		
Recognition of wave-dominated, tide-influenced shoreline systems in the rock record: Variations from a microtidal shoreline model		
B.K. Vakarelov, R.B. Ainsworth and J.A. MacEachern	23	23
Tidal effects on the shoreface: Towards a conceptual framework		
S.E. Dashtgard, J.A. MacEachern, S.E. Frey and M.K. Gingras	42	42
Infilling stratigraphy of macrotidal tide-dominated estuaries. Controlling mechanisms: Sea-level fluctuations, bedrock morphology, sediment supply and climate changes (The examples of the Seine estuary and the Mont-Saint-Michel Bay, English Channel, NW France)		
B. Tessier, I. Billeaud, P. Sorrel, N. Delsinne and P. Lesueur	62	62
<i>Stratigraphic Models of Ancient Tidal Depositional Systems</i>		
Tidal signatures in Neogene to Quaternary mixed deposits of southern Italy straits and bays		
S.G. Longhitano, D. Chiarella, A. Di Stefano, C. Messina, L. Sabato and M. Tropeano	74	74
The potential of trace fossils as tidal indicators in bays and estuaries		
M.K. Gingras, J.A. MacEachern and S.E. Dashtgard	97	97
Effects of tides on deltaic deposition: Causes and responses		
P. Plink-Björklund	107	107
<i>Tidal Signatures in Macroforms</i>		
Tidal dunes versus tidal bars: The sedimentological and architectural characteristics of compound dunes in a tidal seaway, the lower Baronia Sandstone (Lower Eocene), Ager Basin, Spain		
C. Olariu, R.J. Steel, R.W. Dalrymple and M.K. Gingras	134	134
Subsurface and outcrop characterization of large tidally influenced point bars of the Cretaceous McMurray Formation (Alberta, Canada)		
G. Musial, J.-Y. Reynaud, M.K. Gingras, H. Féliès, R. Labourdette and O. Parize	156	156
Shelly cheniers on a modern macrotidal flat (Mont-Saint-Michel bay, France) – Internal architecture revealed by ground-penetrating radar		
P. Weill, B. Tessier, D. Mouazé, C. Bonnot-Courtois and C. Norgeot	173	173



ELSEVIER

Contents lists available at SciVerse ScienceDirect

Sedimentary Geology

journal homepage: www.elsevier.com/locate/sedgeo

Special Issue

Actualistic Models of Sediment Generation

- Edited by

Hilmar von Eynatten^a, Salvatore Critelli^b, Raymond V. Ingersoll^c, Gert Jan Weltje^d

^aGeowissenschaftliches Zentrum der Georg-August-Universität Göttingen, Abteilung Sedimentologie/Umweltgeologie, Goldschmidtstrasse, 3, D-37077 Göttingen, Germany

^bUniversità della Calabria, Dipartimento di Scienze della Terra, 87036 Arcavacata di Rende (CS), Italy

^cDepartment of Earth and Space Sciences, University of California, Los Angeles, CA 90095-1567, USA

^dDelft University of Technology, Department of Geoscience and Engineering, Stevinweg 1, NL-2628CN Delft, The Netherlands

CONTENTS

Introduction to the special issue "Actualistic Models of Sediment Generation"	
H. von Eynatten, S. Critelli, R.V. Ingersoll and G.J. Weltje	1
<i>Review Articles</i>	
Quantitative models of sediment generation and provenance: State of the art and future developments	
G.J. Weltje	4
From gullies to mountain belts: A review of sediment budgets at various scales	
M. Hinderer	21
Uses and misuses of compositional data in sedimentology	
R. Tolosana-Delgado	60
<i>Qualitative and quantitative aspects of weathering and sediment generation on site</i>	
Sediment generation in modern glacial settings: Grain-size and source-rock control on sediment composition	
H. von Eynatten, R. Tolosana-Delgado and V. Karius	80
Influence of granitoid textural parameters on sediment composition: Implications for sediment generation	
L. Caracciolo, R. Tolosana-Delgado, E. Le Pera, H. von Eynatten, J. Arribas and S. Tarquini	93
Weathering and mineralogical evolution in a high Alpine soil chronosequence: A combined approach using SEM-EDX, cathodoluminescence and Nomarski DIC microscopy	
C. Mavris, J. Götze, M. Plötze and M. Egli	108
Role of lichens in weathering of granodiorite in the Sila uplands (Calabria, southern Italy)	
F. Scarciglia, N. Saporito, M.F. La Russa, E. Le Pera, M. Macchione, D. Puntillo, G.M. Crisci and A. Pezzino	119
<i>Tools and general models in sediment generation</i>	
Modelling the joint variability of grain size and chemical composition in sediments	
M.R. Bloemsma, M. Zabel, J.B.W. Stuut, R. Tjallingii, J.A. Collins and G.J. Weltje	135
Forward compositional modelling of Alpine orogenic sediments	
E. Garzanti, A. Resentini, G. Vezzoli, S. Andò, M. Malusà and M. Padoan	149
Corrosion of heavy minerals during weathering and diagenesis: A catalog for optical analysis	
S. Andò, E. Garzanti, M. Padoan and M. Limonta	165

Case studies of source-sink relations


A detrital heavy mineral viewpoint on sediment provenance and tropical weathering in SE Asia I. Sevastjanova, R. Hall and D. Alderton	179
Composition of modern sand and Cretaceous sandstone derived from the Sierra Nevada, California, USA, with implications for Cenozoic and Mesozoic uplift and dissection R.V. Ingersoll	195
Provenance of sand on the Poverty Bay shelf, the link between source and sink sectors of the Waipaoa River sedimentary system J.G. Parra, K.M. Marsaglia, K.S. Rivera, S.T. Dawson and J.P. Walsh	208
Composition and provenance of Late Pleistocene–Holocene alluvial sediments of the eastern Andean piedmont between 33 and 34° S (Mendoza Province, Argentina) A. Mehl, A. Blasi and M. Zárate	234
Provenance and accommodation pathways of late Quaternary sediments in the deep-water northern Ionian Basin, southern Italy F. Perri, S. Critelli, R. Dominici, F. Muto, V. Tripodi and S. Ceramicola.	244
Chromium and nickel as indicators of source-to-sink sediment transfer in a Holocene alluvial and coastal system (Po Plain, Italy) A. Amorosi	260

Abstracted/Indexed in: Geoscience Contents, Geo Abstracts, Current Contents, PASCAL/CNRS, Bulletin Signalétique, and A.G.I.'s Bibliography and Index of Geology. Also covered in the abstract and citation database SciVerse Scopus®. Full text available on SciVerse ScienceDirect®.

Geochemical and petrographical characterization of fine-grained carbonate particles along proximal to distal transects M. Turpin, L. Emmanuel, A. Immenhauser and M. Renard	1
Footwall progradation in syn-rift carbonate platform-slope systems (Early Jurassic, Northern Apennines, Italy) S. Fabbi and M. Santantonio	21
Spatial prediction of seabed sediment texture classes by cokriging from a legacy database of point observations R.M. Lark, D. Dove, S.L. Green, A.E. Richardson, H. Stewart and A. Stevenson	35
Albian to Santonian carbon isotope excursions and faunal extinctions in the Canadian Western Interior Sea: recognition of eustatic sea-level controls on a forebulge setting C.J.Schröder-Adams, J.O. Herrle and Q. Tu	50
Evolution of a coquina barrier in Shark Bay, Australia by GPR imaging: Architecture of a Holocene reservoir analog R. Jahnert, O. de Paula, L. Collins, E. Strobach and R. Pevzner	59
Influence of Holocene stratigraphic architecture on ground surface settlements: A case study from the City of Pisa (Tuscany, Italy) G. Sarti, V. Rossi and A. Amorosi	75
A reconstruction of late Pleistocene relative sea level in the south Bohai Sea, China, based on sediment grain-size analysis L. Yi, H. Yu, J.D. Ortiz, X. Xu, X. Qiang, H. Huang, X. Shi and C. Deng	88
Palaeogeographic, palaeoclimatic, palaeohydrological and chemical/biochemical controls on accumulation of late Eocene coastal lacustrine-palustrine limestones, Southern England I. Armenteros and N. Edwards	101
Sedimentary and chemostratigraphic record of climatic cycles in Lower Pliensbachian marl-limestone platform successions of Asturias (North Spain) B. Bádenas, M. Aurell, M. Armendáriz, I. Rosales, J.C. Garcia-Ramos and L. Piñuela	119
Evidence of climatic changes in the Venetian Coastal Plain (Northern Italy) during the last 40,000 years S. Donnici, R. Serandrei-Barbero and G. Canali	139
Late-Pleistocene to Holocene sedimentary fills of the Çınarcık Basin of the Sea of Marmara K.K. Eriş, N. Çağatay, C. Beck, B. Mercier de Lepinay and C. Corina	151
Characterisation of transport processes and sedimentary deposits by statistical end-member mixing analysis of terrestrial sediments in the Donggi Cona lake catchment, NE Tibetan Plateau J. Jmker, G. Stauch, E. Dietze, K. Hartmann, B. Diekmann, G. Lockot, S. Opitz, B. Wünnemann and F. Lehmkuhl	166
Processes controlling a volcanoclastic turbiditic system during the last climatic cycle: Example of the Cilaos deep-sea fan, offshore La Réunion Island E. Sisavath, A. Mazuel, S.J. Jorry, N. Babonneau, P. Bachelery, B. de Voogd, M. Salpin, L. Emmanuel, L. Beaufort and S. Toucanne	180
Provenance and hinterland exhumation from LA-ICP-MS zircon U-Pb and fission-track double dating of Cretaceous sediments in the Jiangnan Basin, Yangtze block, central China C.-B. Shen, R.A. Donelick, P.B. O'Sullivan, R. Jonckheere, Z. Yang, Z.-B. She, X.-L. Miu and X. Ge	194
Shallow water mud-mounds of the Early Devonian Buchan Group, East Gippsland, Australia A.-M.P. Tosolini, M.W. Wallace and S.J. Gallagher	208
Modern and late Holocene dolomite formation: Manito Lake, Saskatchewan, Canada F.M. Last, W.M. Last and N.M. Halden	222

<http://www.elsevier.com/locate/sedgeo>





Special Issue

The 2011 Tohoku-oki tsunami

Edited by

Catherine Chagué-Goff ^{a,b}, Kazuhisa Goto ^{c,d}, James Goff ^a, Bruce Jaffe ^e

^aAustralia-Pacific Tsunami Research Centre, School of Biological, Earth and Environmental Sciences,
University of New South Wales, Sydney, NSW 2052, Australia

^bAustralian Nuclear Science and Technology Organisation, Kirrawee DC, NSW 2232, Australia

^cPlanetary Exploration Research Center, Chiba Institute of Technology, Tsudanuma, Chiba 275-0016, Japan

^dInternational Research Institute of Disaster Science, Tohoku University, 980-8579, Japan

^eUS Geological Survey, Santa Cruz, CA, 95060, USA

CONTENTS

Special Section

The future of tsunami research following the 2011 Tohoku-oki event K. Goto, C. Chagué-Goff, J. Goff and B. Jaffe	1
Assessing the magnitude of the 869 Jogan tsunami using sedimentary deposits: Prediction and consequence of the 2011 Tohoku-oki tsunami D. Sugawara, K. Goto, F. Imamura, H. Matsumoto and K. Minoura	14
Erosion, deposition and landscape change on the Sendai coastal plain, Japan, resulting from the March 11, 2011 Tohoku-oki tsunami B. Richmond, W. Szczuciński, C. Chagué-Goff, K. Goto, D. Sugawara, R. Witter, D.R. Tappin, B. Jaffe, S. Fujino, Y. Nishimura and J. Goff	27
Sediment sources and sedimentation processes of 2011 Tohoku-oki tsunami deposits on the Sendai Plain, Japan – Insights from diatoms, nannoliths and grain size distribution W. Szczuciński, M. Kokociński, M. Rzeszewski, C. Chagué-Goff, M. Cachão, K. Goto and D. Sugawara	40
Heavy minerals in the 2011 Tohoku-oki tsunami deposits—insights into sediment sources and hydrodynamics R. Jagodziński, B. Sternal, W. Szczuciński, C. Chagué-Goff and D. Sugawara	57
Geochemical signatures up to the maximum inundation of the 2011 Tohoku-oki tsunami – Implications for the 869 AD Jogan and other palaeotsunamis C. Chagué-Goff, A. Andrew, W. Szczuciński, J. Goff and Y. Nishimura	65
Sedimentary and foraminiferal evidence of the 2011 Tōhoku-oki tsunami on the Sendai coastal plain, Japan J.E. Pilarczyk, B.P. Horton, R.C. Witter, C.H. Vane, C. Chagué-Goff and J. Goff	78
Flow speed estimated by inverse modeling of sandy tsunami deposits: results from the 11 March 2011 tsunami on the coastal plain near the Sendai Airport, Honshu, Japan B.E. Jaffe, K. Goto, D. Sugawara, B.M. Richmond, S. Fujino and Y. Nishimura	90
Numerical modeling of the 2011 Tohoku-oki tsunami in the offshore and onshore of Sendai Plain, Japan D. Sugawara and K. Goto	110
Deposition by the 2011 Tohoku-oki tsunami on coastal lowland controlled by beach ridges near Sendai, Japan Y. Takashimizu, A. Urabe, K. Suzuki and Y. Sato	124
Relationship between the maximum extent of tsunami sand and the inundation limit of the 2011 Tohoku-oki tsunami on the Sendai Plain, Japan T. Abe, K. Goto and D. Sugawara	142
Coastal changes in the Sendai area from the impact of the 2011 Tōhoku-oki tsunami: Interpretations of time series satellite images, helicopter-borne video footage and field observations D.R. Tappin, H.M. Evans, C.J. Jordan, B. Richmond, D. Sugawara and K. Goto	151

Environmental impact assessment of the 2011 Tohoku-oki tsunami on the Sendai Plain C. Chagué-Goff, P. Niedzielski, H.K.Y. Wong, W. Szczuciński, D. Sugawara and J. Goff	175
Sedimentary processes associated with sand and boulder deposits formed by the 2011 Tohoku-oki tsunami at Sabusawa Island, Japan K. Goto, D. Sugawara, S. Ikema and T. Miyagi	188
Sedimentary features observed in the tsunami deposits at Rikuzentakata City H. Naruse, K. Arai, D. Matsumoto, H. Takahashi, S. Yamashita, G. Tanaka and M. Murayama	199
Local variation of inundation, sedimentary characteristics, and mineral assemblages of the 2011 Tohoku-oki tsunami on the Misawa coast, Aomori, Japan Y. Nakamura, Y. Nishimura and P.S. Putra	216
Sediment scour and deposition within harbors in California (USA), caused by the March 11, 2011 Tohoku-oki tsunami R. Wilson, C. Davenport and B. Jaffe	228
<i>Regular Articles</i>	
Stacked, Lower Miocene tide-dominated estuary deposits in a transgressive succession, Western Desert, Egypt S.M. Hassan, R.J. Steel, A. El Barkooky, M. Hamdan, C. Olariu and M.A. Helper	241
Detrital zircon U–Pb ages of the Jangsan Formation in the northeastern Okcheon belt, Korea and its implications for material source, provenance, and tectonic setting Y.I. Lee, T. Choi, H.S. Lim and Y. Orihashi	256
A recipe for the use of rutile in sedimentary provenance analysis S. Triebold, H. von Eynatten and T. Zack	268
A Late Pleistocene–Holocene wetland megafan in the Brazilian Amazonia D.F. Rossetti, H. Zani, M.C.L. Cohen and É.H. Cremon	276
A new and practical method to obtain grain size measurements in sandy shores based on digital image acquisition and processing P. Baptista, T.R. Cunha, C. Gama and C. Bernardes	294
Late Quaternary incision and deposition in an active volcanic setting: The Volturno valley fill, southern Italy A. Amorosi, A. Pacifico, V. Rossi and D. Ruberti	307
Provenance and depositional conditions of Cretaceous–Paleogene boundary sandstones from northeastern Mexico S. Rehrmann, C. Augustsson, R.N. Izaguirre Valdez, U. Jenchen and P. Schulte	321
High-resolution clay mineralogy as a proxy for orbital tuning: Example of the Hauterivian–Barremian transition in the Betic Cordillera (SE Spain) M. Moiroud, M. Martinez, J.-F. Deconinck, F. Monna, P. Pellenard, L. Riquier and M. Company	336
Sedimentary earthquake records in the İzmit Gulf, Sea of Marmara, Turkey M.N. Çağatay, L. Erel, L.G. Bellucci, A. Polonia, L. Gasperini, K.K. Eriş, Ü. Sancar, D. Biltekin, G. Uçarkuş, U.B. Ülgen and E. Damcı	347
The Miocene Sommières basin, SE France: Bioclastic carbonates in a tide-dominated depositional system J.-Y. Reynaud and N.P. James	360