



Volume 131, 22 November 2011

ISSN 0304-4238

# SCIENTIA HORTICULTURAE



Current Contents (A, B & ES), Research Alert, SciSearch, Science Citation Index; BIOSIS (Previews), Biological Abstracts; CAB Abstracts; Current Awareness in Biological Sciences (CABS); Geobase, Ecological Abstracts; EMBiology; PASCAL. Also covered in the abstract and citation database SCOPUS®. Full text available on ScienceDirect®

**Regular papers**

Effect of dynamic unequal distribution of salts in the root environment on performance and Crop Per Drop (CPD) of hydroponic-grown tomato M. Koushafar (Khouzestan, Iran), A.H. Khoshgoftarmanesh (Isfahan, Iran), A. Moezzi (Khouzestan, Iran) and M. Mobli (Isfahan, Iran) . . . .	1
Volatile ester-synthesising capacity throughout on-tree maturation of 'Golden Reinders' apples A. Ortiz, J. Graell and I. Lara (Lleida, Spain) . . . . .	6
Postharvest stability of antioxidant compounds in hawthorn and cornelian cherries at room and refrigerator temperatures—Comparison with blackberries, white and red grapes D. Šamec and J. Piljac-Zegarac (Zagreb, Croatia) . . . . .	15
Interactions between vegetative and generative growth and between crop generations in fig tree ( <i>Ficus carica</i> L.) B. Gaaliche (Sousse, Tunisia), P-E. Lauri (Montpellier, France), M. Trad (Sousse, Tunisia), E. Costes (Montpellier, France) and M. Mars (Sousse, Tunisia) . . . . .	22
Assessment of fruit quality attributes of tomato hybrids involving ripening mutants under high temperature conditions N. Garg and D.S. Cheema (Ludhiana, India) . . . . .	29
Comparisons of virulence of pathogens associated with crown and root diseases of strawberry in Western Australia with special reference to the effect of temperature X. Fang (Crawley, Australia), D. Phillips (Bentley, Australia), H. Li, K. Sivasithamparam and M.J. Barbetti (Crawley, Australia) . . . . .	39
Effects of temperature and packaging atmosphere on total antioxidants and colour of walnut ( <i>Juglans regia</i> L.) kernels during storage M.V. Christopoulos and E. Tsantili (Athens, Greece) . . . . .	49
Isozyme diversity and genetic structure of barrenwort (Berberidaceae) populations M. Sheng, L. Wang and K. Xiong (Guiyang, China) . . . . .	58
A male- and female-sterile mutant of Kentucky bluegrass ( <i>Poa pratensis</i> L.) induced by space radiation L. Han, D. Luo (Beijing, China), D. Li (Fargo, ND, USA), Y. Qian and Z. Sun (Beijing, China) . . . . .	67
Origin of the <i>Capsicum</i> CMS cytoplasm revealed by cytoplasmic DNA derived marker analysis Y.D. Jo, H.-J. Jeong and B.-C. Kang (Seoul, Republic of Korea) . . . . .	74
Chromosomes analysis of five diploid garden Hyacinth species F. Hu, C. Ren, R. Bao and G. Liu (Nanjing, China) . . . . .	82
Development of novel microsatellites in <i>Lagerstroemia indica</i> and DNA fingerprinting in Chinese <i>Lagerstroemia</i> cultivars M. Cai, H.-T. Pan, X.-F. Wang, D. He, X.-Y. Wang, X.-J. Wang and Q.-X. Zhang (Beijing, PR China) . . . . .	88
<b>Short communications</b>	
Habitat effects on yield, fatty acid composition and tocopherol contents of prickly pear ( <i>Opuntia ficus-indica</i> L.) seed oils B. Matthäus (Detmold, Germany) and M.M. Özcan (Konya, Turkey) . . . . .	95
Somatic embryogenesis from bract cultures in diploid <i>Musa acuminata</i> cultivars from South India S.P. Divakaran and A.S. Nair (Trivandrum, India) . . . . .	99
Decreasing the concentration of IBA or combination with ethylene inhibitors improve bud retention in semi-hardwood cuttings of hazelnut cultivar 'Tonda Gentile delle Langhe' C. Contessa, N. Valentini and R. Botta (Grugliasco, Italy) . . . . .	103

Available online at [www.sciencedirect.com](http://www.sciencedirect.com)

**SciVerse ScienceDirect**

Information about *Scientia Horticulturae* is available on the World Wide Web at the following address:  
<http://www.elsevier.com/locate/scihorti>



Current Contents (A, B & ES), Research Alert, SciSearch, Science Citation Index; BIOSIS (Previews), Biological Abstracts; CAB Abstracts; Current Awareness in Biological Sciences (CABS); Geobase, Ecological Abstracts; EMBiology; PASCAL. Also covered in the abstract and citation database SCOPUS®. Full text available on ScienceDirect®

**Review**

Intergeneric hybridization between *Dendranthema nankingense* and *Tanacetum vulgare*  
 F. Tang (Nanjing, China and Shaoxing, China), H. Wang, S. Chen, F. Chen, Z. Liu and W. Fang (Nanjing, China) ..... 1

**Regular papers**

Accumulation of total lipids, fatty acids and triacylglycerols in developing fruits of *Olea europaea* L.  
 F. Sakouhi, W. Herchi, K. Sebei (El Manar II, Tunisia), C. Absalon (Bordeaux, France), H. Kallel and S. Boukhchina (El Manar II, Tunisia) ..... 7

Analysis of genetic relationships and identification of flowering-mei cultivars using EST-SSR markers developed from apricot and fruiting-mei  
 Y.-J. Wang, X.-Y. Li, J. Han, W.-M. Fang, X.-D. Li, S.-S. Wang and J.-G. Fang (Nanjing, PR China) ..... 12

Effect of postharvest treatments and storage temperatures on the quality and shelf life of sweet pepper (*Capsicum annuum* L.)  
 T.V.R. Rao, N.B. Gol and K.K. Shah (Vallabh Vidyanagar, India) ..... 18

Symbiotic effectiveness of arbuscular mycorrhizal technology and *Azotobacterization* in citrus nursery production under soil disinfestation and moisture conservation practices  
 S.D. Sharma (Solan, India), P. Kumar (Reckong Peo, India), S.K. Bhardwaj and A. Chandel (Solan, India) ..... 27

Determination of fruit chemical properties of *Morus nigra* L., *Morus alba* L. and *Morus rubra* L. by HPLC  
 M. Gundogdu, F. Muradoglu, R.I.G. Sensoy (Van, Turkey) and H. Yilmaz (Kirsehir, Turkey) ..... 37

Standardizing germination protocols for diverse raspberry and blackberry species  
 S. Wada and B.M. Reed (Corvallis, OR, USA) ..... 42

Analysis of genetic diversity in Japanese apricot (*Prunus mume* Sieb. et Zucc.) based on REMAP and IRAP molecular markers  
 S. Yuying (Nanjing, People's Republic of China and Hangzhou, People's Republic of China), D. Xiajun (Hangzhou, People's Republic of China), W. Fei, C. Binhua, G. Zhihong and Z. Zhen (Nanjing, People's Republic of China) ..... 50

Elevated temperature inhibits anthocyanin biosynthesis in the tepals of an Oriental hybrid lily via the suppression of *LhMYB12* transcription  
 Y.-S. Lai, M. Yamagishi and T. Suzuki (Sapporo, Japan) ..... 59

Three-dimensional formation of corolla shapes in relation to the developmental distortion of petals in *Eustoma grandiflorum*  
 S. Kawabata, K. Nii and M. Yokoo (Tokyo, Japan) ..... 66

Croton *Codiaeum variegatum* (L.) Blume cultivars characterized by leaf phenotypic parameters  
 A.S. Mollick, H. Shimoji, T. Denda, M. Yokota and H. Yamasaki (Okinawa, Japan) ..... 71

Available online at [www.sciencedirect.com](http://www.sciencedirect.com)

**SciVerse ScienceDirect**

Information about *Scientia Horticulturae* is available on the World Wide Web at the following address:  
<http://www.elsevier.com/locate/scihorti>



Current Contents (A, B & ES), Research Alert, SciSearch, Science Citation Index; BIOSIS (Previews), Biological Abstracts; CAB Abstracts; Current Awareness in Biological Sciences (CABS); Geobase, Ecological Abstracts; EMBiology; PASCAL. Also covered in the abstract and citation database SCOPUS®. Full text available on ScienceDirect®

**Regular papers**

Estimating <i>Plasmodiophora brassicae</i> gene expression in lines of <i>B. rapa</i> by RT-PCR L.-y. Wu (Kunming, China), J. Siemens (Dresden, Germany), S.-k. Li (Kunming, China), J. Ludwig-Müller (Dresden, Germany), Y.-j. Gong, L. Zhong and J.-m. He (Kunming, China) .....	1
Mass modeling of Fava bean ( <i>vicia faba</i> L.) with some physical characteristics A.N. Lorestani and M. Ghari (Kermanshah, Islamic Republic of Iran) .....	6
Identification of quantitative trait loci for yellow inner leaves in Chinese cabbage ( <i>Brassica rapa</i> L. ssp. <i>pekinensis</i> ) based on SSR and SRAP markers Y. Li, Z. Liu, Y. Wang, N. Yang, X. Xin, S. Yang and H. Feng (Shenyang, China) .....	10
Heating bearing shoots near fruits promotes sugar accumulation in melon fruit J. Matsumoto, Y. Kano, T. Madachi and Y.-s. Aoki (Nonoichi, Japan) .....	18
Anomalous embryo sac development and fruit abortion caused by inbreeding depression in almond ( <i>Prunus dulcis</i> ) P.J. Martínez-García, F. Dicenta and E. Ortega (Murcia, Spain) .....	23
Yield characteristics of N-S oriented olive hedgerow orchards, cv. Arbequina D.J. Connor (Victoria, Australia and Madrid, Spain), M. Gómez-del-Campo (Madrid, Spain) and J. Comas (Castelldefels, Spain) .....	31
Performance of apple ( <i>Malus x domestica</i> Borkh) cv. Red Spur on a new apple rootstock in high density planting K.K. Pramanick, D.K. Kishore, R. Singh and J. Kumar (Shimla, India) .....	37
Organic acid metabolism in <i>Citrus grandis</i> leaves and roots is differently affected by nitric oxide and aluminum interactions L.-T. Yang, L.-S. Chen, H.-Y. Peng, P. Guo, P. Wang and C.-L. Ma (Fuzhou, China) .....	40
Determination of size and shape features of walnut ( <i>Juglans regia</i> L.) cultivars using image processing S. Ercisli, B. Sayinci, M. Kara, C. Yildiz and I. Ozturk (Erzurum, Turkey) .....	47
An estimate of potential blueberry yield using regression models that relate the number of fruits to the number of flower buds and to climatic variables S. Salvo, C. Muñoz, J. Ávila, J. Bustos, M. Ramírez-Valdivia, C. Silva and G. Vivallo (Temuco, Chile) .....	56
Relationships between trunk- and fruit-diameter growths under deficit-irrigation programmes in orange trees I.F. García-Tejero, V.H. Durán-Zuazo, J. Arriaga and J.L. Muriel-Fernández (Sevilla, Spain) .....	64
Light-induced expression of genes involved in phenylpropanoid biosynthetic pathways in callus of tea ( <i>Camellia sinensis</i> (L.) O. Kuntze) Y. Wang, L. Gao, Z. Wang, Y. Liu, M. Sun, D. Yang, C. Wei, Y. Shan and T. Xia (Anhui, China) .....	72
<b>Short communications</b>	
Exploring alternative germplasm for the development of stable high vitamin C content in tomato varieties M. Leiva-Brondo (Valencia, Spain), M. Valcárcel (Castellón, Spain), C. Cortés-Olmos (Valencia, Spain), S. Roselló (Castellón, Spain), J. Cebolla-Cornejo and F. Nuez (Valencia, Spain) .....	84
Utilization of coir fibers as an eco-friendly substitute for costly gelling agents for in vitro orchid seed germination S. Aggarwal and C. Nirmala (Chandigarh, India) .....	89

Available online at [www.sciencedirect.com](http://www.sciencedirect.com)

**SciVerse ScienceDirect**

Information about *Scientia Horticulturae* is available on the World Wide Web at the following address:  
<http://www.elsevier.com/locate/scihorti>



Current Contents (A, B & ES), Research Alert, SciSearch, Science Citation Index; BIOSIS (Previews), Biological Abstracts; CAB Abstracts; Current Awareness in Biological Sciences (CABS); Geobase, Ecological Abstracts; EMBiology; PASCAL. Also covered in the abstract and citation database SCOPUS®. Full text available on ScienceDirect®

**Review**

A critical evaluation of on-farm rapid tests for measuring nitrate in leafy vegetables  
S.E. Parks (Gosford, Australia), D.E. Irving (Yanco, Australia) and P.J. Milham (Richmond, Australia) ..... 1

**Regular papers**

Nitrogen efficiency of Brussels sprouts under different organic N fertilization rates  
K. Fiedler and H. Stützel (Hannover, Germany) ..... 7

*In vitro* plant regeneration from cotyledonary nodes of recombinant inbred lines of lentil  
C. Bermejo (Buenos Aires, Argentina), M.A. Espósito (Zavalla, Argentina), V. Cravero (Buenos Aires, Argentina), F. López Anido and E. Cointry (Zavalla, Argentina) ..... 13

Partial root-zone drying irrigation and water utilization efficiency by the potato crop in semi-arid regions in China  
K. Xie, X.-X. Wang (Beijing, China), R. Zhang, X. Gong (Hohhot, China), S. Zhang (Gansu, China), V. Mares, C. Gavilán, A. Posadas and R. Quiroz (Lima, Peru) ..... 20

Autotoxicity in beans and their allelochemicals  
M. Asaduzzaman (Matsue, Japan and Tottori, Japan) and T. Asao (Matsue, Japan) ..... 26

Transcriptome analysis of fruit development of a citrus late-ripening mutant by microarray  
J. Zeng, C. Gao, G. Deng, B. Jiang, G. Yi, X. Peng, Y. Zhong, B. Zhou and K. Liu (Guangzhou, China) ..... 32

Genetic transformation and development of *Cucumber mosaic virus* resistant transgenic plants of *Chrysanthemum morifolium* cv. Kundan  
S. Kumar, S.K. Raj, A.K. Sharma (Lucknow, India) and H.N. Varma (Jaipur, India) ..... 40

Interspecific hybridization of diploids and octoploids in strawberry  
I.R. Rho (Busan, Republic of Korea), Y.J. Hwang, H.I. Lee, K.B. Lim (Daegu, Republic of Korea) and C.-H. Lee (Busan, Republic of Korea) ..... 46

Effects of high temperatures on UV-B/visible irradiation induced postharvest anthocyanin accumulation in 'Yunhongli No. 1' (*Pyrus pyrifolia* Nakai) pears  
D. Zhang, B. Yu (Hangzhou, China), J. Bai (Winter Haven, FL, USA), M. Qian (Hangzhou, China), Q. Shu, J. Su (Kunming, China) and Y. Teng (Hangzhou, China) ..... 53

Analysis of genetic diversity of *Cucurbita moschata* (D.) germplasm accessions from Mesoamerica revealed by PCR SSCP and chloroplast sequence data  
N. Barboza, F.J. Albertazzi, J.A. Sibaja-Cordero, F. Mora-Umaña (San José, Costa Rica), C. Astorga (Turrialba, Costa Rica) and P. Ramírez (San José, Costa Rica) ..... 60

The effect of different vigour olive clones on growth, dry matter partitioning and gas exchange under water deficit  
C. Di Vaio, F.P. Marra, G. Scaglione, M. La Mantia and T. Caruso (Italy) ..... 72

Assessment of genetic diversity among varieties of mulberry using RAPD and ISSR fingerprinting  
D. Kalpana, S.H. Choi, T.K. Choi (Jeonju, South Korea), K. Senthil (Tamilnadu, India) and Y.S. Lee (Jeonju, South Korea) ..... 79

Variation in total phenolic content and antioxidant activity of *Prunus cerasifera* Ehrh. selections from Mediterranean region of Turkey  
K. Gündüz (Antakya, Turkey) and O. Saraçoğlu (Tokat, Turkey) ..... 88

Does pollination affect aroma development in ripened fig [*Ficus carica* L.] fruit?  
M. Trad (Sousse, Tunisia), C. Ginies (Avignon, France), B. Gaaliche (Sousse, Tunisia), C.M.G.C. Renard (Avignon, France) and M. Mars (Sousse, Tunisia) ..... 93

Autotetraploid trifoliate orange (*Poncirus trifoliata*) rootstocks do not impact clementine quality but reduce fruit yields and highly modify rootstock/scion physiology  
S. Hussain (San Giuliano, France and Moncada, Spain; Multan, Pakistan), F. Curk (San Giuliano, France), C. Dhuique-Mayer (Montpellier, France), L. Urban (Avignon, France), P. Ollitrault (Moncada, Spain), F. Luro (San Giuliano, France) and R. Morillon (Moncada, Spain) ..... 100

Identifying fruit characteristics for non-invasive detection of sunburn in apple  
I. Tartachnyk, J. Kuckenberk (Bonn, Germany), J.A. Yuri (Talca, Chile) and G. Noga (Bonn, Germany) ..... 108

(Contents continued on page I)

Available online at [www.sciencedirect.com](http://www.sciencedirect.com)

**SciVerse ScienceDirect**

Information about *Scientia Horticulturae* is available on the World Wide Web at the following address:  
<http://www.elsevier.com/locate/scihorti>



(Continued from back cover)

Chemical, functional and quality properties of Japanese plum ( <i>Prunus salicina</i> Lindl.) as affected by mulching P. Melgarejo, Á. Calín-Sánchez, F. Hernández (Alicante, Spain), A. Szumny (Wrocław, Poland), J.J. Martínez, P. Legua, R. Martínez and Á.A. Carbonell-Barrachina (Alicante, Spain) .....	114
Difference in the polysomaty degree during fruit development among plants with different ploidy levels produced by artificial chromosome doubling of a pepper ( <i>Capsicum annuum</i> ) cultivar 'Shishitou No. 562' D. Ogawa, K. Ishikawa and M. Mii (Matsudo, Japan) .....	121
A possibility for non-invasive diagnosis of superficial scald in 'Rocha' pear based on chlorophyll a fluorescence, colorimetry, and the relation between $\alpha$ -farnesene and conjugated trienols R. Guerra, I.V. Gardé, M.D. Antunes (Faro, Portugal), J.M. da Silva, R. Antunes (Lisboa, Portugal) and A.M. Cavaco (Faro, Portugal) .....	127
<i>Bacillus subtilis</i> to biological control of postbloom fruit drop caused by <i>Colletotrichum acutatum</i> under field conditions K.C. Kupper (Cordeirópolis, Brazil), F.E. Corrêa (Araras, Brazil), F.A. de Azevedo and A.C. da Silva (Cordeirópolis, Brazil) .....	139
Identification of differentially expressed genes in response to infection of a mild <i>Citrus tristeza virus</i> isolate in <i>Citrus aurantifolia</i> by suppression subtractive hybridization Y. Liu, G. Wang, Z. Wang, F. Yang, G. Wu and N. Hong (Wuhan, PR China) .....	144
Development, characterization and use of microsatellite markers for germplasm analysis in date palm ( <i>Phoenix dactylifera</i> L.) H. Arabnezhad, M. Bahar, H.R. Mohammadi (Isfahan, Iran) and M. Latifian (Ahwaz, Iran) .....	150
Analysis of population structure revealed apparent genetic disturbance in Korea <i>Cymbidium</i> collection K.T. Moe and Y.-J. Park (Yesan, Republic of Korea) .....	157
Vegetative propagation of <i>Primulina tabucum</i> Hance by petiole cuttings J. Lü (Guangzhou, PR China and Beijing, PR China), J.A.T. da Silva (Kagawa-ken, Japan) and G. Ma (Guangzhou, PR China) .....	163
Microsatellite markers from tea plant expressed sequence tags (ESTs) and their applicability for cross-species/genera amplification and genetic mapping J.-Q. Ma, C.-L. Ma, M.-Z. Yao, J.-Q. Jin, Z.-L. Wang, X.-C. Wang and L. Chen (Hangzhou, China) .....	167
Seasonal changes in the expression pattern of flowering-related genes in evergreen azalea 'Oomurasaki' ( <i>Rhododendron</i> $\times$ <i>pulchrum</i> ) K.-S. Cheon (Tottori, Japan), A. Nakatsuka (Shimane, Japan), K. Tasaki (Tottori, Japan) and N. Kobayashi (Shimane, Japan) .....	176
The chrysanthemum $\times$ <i>Artemisia vulgaris</i> intergeneric hybrid has better rooting ability and higher resistance to alternaria leaf spot than its chrysanthemum parent Y. Deng, S. Chen, Q. Chang, H. Wang and F. Chen (Nanjing, China) .....	185
Morphological and expression analyses of MADS genes in Japanese traditional narrow- and/or staminoid-petaled cultivars of <i>Rhododendron kaempferi</i> Planch. K. Tasaki (Tottori, Japan), A. Nakatsuka (Shimane, Japan), K.-S. Cheon (Tottori, Japan), M. Koga and N. Kobayashi (Shimane, Japan) .....	191
Modulation of NaCl stress in <i>Capsicum annuum</i> L. seedlings by catechin J.-C. Yiu, M.-J. Tseng, C.-W. Liu and C.-T. Kuo (Taiwan, ROC) .....	200
Comparison of three evapotranspiration models for a greenhouse cooling strategy with natural ventilation and variable high pressure fogging F. Villarreal-Guerrero, M. Kacira, E. Fitz-Rodríguez, C. Kubota, G.A. Giacomelli (Tucson, AZ, USA), R. Linker (Haifa, Israel) and A. Arbel (Bet Dagan, Israel) .....	210
<b>Short communications</b>	
Yield, polysaccharides content and antioxidant properties of <i>Pleurotus abalonus</i> and <i>Pleurotus geesteranus</i> produced on asparagus straw as substrate Q. Wang, H. Li, T.T. Chen and J.R. Han (Taiyuan, People's Republic of China) .....	222
Oleocellosis incidence in citrus fruit in response to mechanical injuries C.R.S. Montero, L.L. Schwarz, L.C. dos Santos, R.P. dos Santos and R.J. Bender (Porto Alegre, Brazil) .....	227
Relationship of metabolism of reactive oxygen species with cytoplasmic male sterility in pepper ( <i>Capsicum annuum</i> L.) M.-H. Deng (Changsha, China and Kunming, China), J.-F. Wen, J.-L. Huo, H.-S. Zhu (Kunming, China), X.-Z. Dai, Z.-Q. Zhang (Changsha, China), H. Zhou (Kunming, China) and X.-X. Zou (Changsha, China) .....	232
An apple <i>atp9</i> pseudogene is maintained at high copy number in 'Golden Delicious'-type mitochondria but is present substoichiometrically in 'Delicious'-type mitochondria S. Kato, K. Kitazaki, A. Wakatsuki, Y. Kishima and T. Mikami (Sapporo, Japan) .....	237
Mechanical flower thinning improves fruit quality of apples and promotes consistent bearing D. Hehnen (Wenatchee, WA, USA and Bonn, Germany), I. Hanrahan (Wenatchee, WA, USA), K. Lewis (Ephrata, WA, USA), J. McFerson (Wenatchee, WA, USA) and M. Blanke (Bonn, Germany) .....	241
Effect of air temperature on rind colour development in pomegranates F.J. Manera, P. Legua, P. Melgarejo, R. Martínez, J.J. Martínez and F. Hernández (Orihuela, Spain) .....	245
Identification of stable QTLs related to trunk girth in longan Y.-S. Guo, Y.-H. Zhao (Guangzhou, China and Shenyang, China), J.-X. Fu, S.-S. Huang, Y. Wang, B.-B. Lu, L.-J. Pan and C.-M. Liu (Guangzhou, China) .....	248

Current Contents (A, B & ES), Research Alert, SciSearch, Science Citation Index; BIOSIS (Previews), Biological Abstracts; CAB Abstracts; Current Awareness in Biological Sciences (CABS); Geobase, Ecological Abstracts; EMBiology; PASCAL. Also covered in the abstract and citation database SCOPUS®. Full text available on ScienceDirect®

Variation in photosynthesis and growth of mustard cultivars: Role of ethylene sensitivity N. Iqbal, R. Nazar, M.I.R. Khan and N.A. Khan (Aligarh, India).....	1
Effect of ripeness stage of mango fruit ( <i>Mangifera indica</i> L., cv. Ataulfo) on physiological parameters and antioxidant activity H. Palafox-Carlos (Hermosillo, Mexico), E. Yahia (Queretaro, Mexico), M.A. Islas-Osuna (Hermosillo, Mexico), P. Gutierrez-Martinez (Tepic, Mexico), M. Robles-Sánchez and G.A. González-Aguilar (Hermosillo, Mexico).....	7
Non-destructive prediction of quality of intact banana using spectroscopy P. Jaiswal, S.N. Jha and R. Bharadwaj (Ludhiana, India).....	14
Differential physiological and biochemical responses of three <i>Echinacea</i> species to salinity stress A. Sabra, F. Daayf and S. Renault (Winnipeg, Canada).....	23
Isolation and identification of lipopeptides produced by <i>B. subtilis</i> SQR 9 for suppressing Fusarium wilt of cucumber Y. Cao, Z. Xu, N. Ling, Y. Yuan, X. Yang, L. Chen, B. Shen and Q. Shen (Nanjing, China).....	32
Direct somatic embryogenesis and plant regeneration from seed derived protocorms of <i>Cymbidium bicolor</i> Lindl. G. Mahendran and V.N. Bai (Coimbatore, India).....	40
Effects of different light intensities on chlorophyll fluorescence characteristics and yield in lettuce W. Fu (Zhenjiang, China), P. Li (Nanjing, China) and Y. Wu (Zhenjiang, China).....	45
Aluminum-induced secretion of organic acid by cowpea ( <i>Vigna unguiculata</i> L.) roots L. Yu (Nanjing, China), J. Yan (Shanghai, China), S. Guo (Nanjing, China) and W. Zhu (Shanghai, China).....	52
Effect of mechanical stimulation on the growth and branching of garden rose M. P. (Beaucouzé, France), L. Crespel, G. Galopin (Angers, France) and B. Moulia (Clermont-Ferrand, France).....	59
The root ferric-chelate reductase of <i>Ceratonia siliqua</i> (L.) and <i>Poncirus trifoliata</i> (L.) Raf. responds differently to a low level of iron M. Pestana, F. Gama, T. Saavedra (Faro, Portugal), A. de Varennes (Lisboa, Portugal) and P.J. Correia (Faro, Portugal).....	65
Identification of pepper ( <i>Capsicum annuum</i> L.) accessions with large or small fruit that have a high degree of parthenocarpy I. Honda, H. Matsunaga, K. Kikuchi, S. Matsuo and M. Fukuda (Ano, Japan).....	68
Growth and physiology of deciduous shade trees in response to controlled-release fertilizer W.S. Klooster, B.M. Cregg, R.T. Fernandez and P. Nzokou (East Lansing, MI, USA).....	71
Isolation, characterization and functional analysis of <i>StRab</i> , a cDNA clone from potato encoding a small GTP-binding protein W. Gao, Z. Tian, J. Liu, Y. Lin and C. Xie (Wuhan, PR China).....	80
HS-SPME study of the volatile fraction of <i>Capsicum</i> accessions and hybrids in different parts of the fruit E. Moreno, A. Fita, M.C. González-Mas and A. Rodríguez-Burruezo (Valencia, Spain).....	87
Allelopathic persistence of <i>Helianthus tuberosus</i> L. residues in the soil F. Tesio, F. Vidotto and A. Ferrero (Grugliasco, Italy).....	98
Effects of nitric oxide on reactive oxygen species and antioxidant capacity in Chinese Bayberry during storage F. Wu, H. Yang, Y. Chang, J. Cheng, S. Bai and J. Yin (Hangzhou, PR China).....	106
Responses of 'Spring Bright' and 'Summer Bright' nectarines to deficit irrigation: Fruit growth and concentration of sugars and organic acids A. Thakur and Z. Singh (Perth, Australia).....	112
Control of blue and green mold decay of citrus fruit by <i>Pichia membranefaciens</i> and induction of defense responses Y. Luo, K. Zeng and J. Ming (Chongqing, PR China).....	120
Cloning and characterization of a cucumber phospholipase D gene in response to excess nitrate and other abiotic stresses Y. Song, D. Du, M. Chu, X. Li, H. Xu, X. Wang, M. Wei, Q. Shi and F. Yang (Tai'an, PR China).....	128
Tree age and canopy position affect rind quality, fruit quality and rind nutrient content of 'Kinnow' mandarin ( <i>Citrus nobilis</i> Lour 3 <i>Citrus deliciosa</i> Tenora) S. Khalid, A.U. Malik (Faisalabad, Pakistan), B.A. Saleem (Sargodha, Pakistan), A.S. Khan, M.S. Khalid and M. Amin (Faisalabad, Pakistan).....	137
In vitro propagation of <i>Etilingera elatior</i> (Jack) (torch ginger) M.F. Yunus, M.A. Aziz, M.A. Kadir and A.A. Rashid (Serdang, Malaysia).....	145

(Contents continued on BMI)

Available online at [www.sciencedirect.com](http://www.sciencedirect.com)

**SciVerse ScienceDirect**

Information about *Scientia Horticulturae* is available on the World Wide Web at the following address:  
<http://www.elsevier.com/locate/scihorti>



(Continued from back cover)

Micropropagation of <i>Romulea sabulosa</i> Schltr. ex Beg. - A potential ornamental plant P.A. Swart, M.G. Kulkarni, M.W. Bairu, J.F. Finnie and J. Van Staden (Scottsville, South Africa).....	151
Partial fruit set failure phenomenon in 'Nabbut-Ali' and 'Sabbaka' date palm cultivars under hot arid climate as affected by pollinator type and pollination method M.A. Awad (Jeddah, Saudi Arabia and El-Mansoura, Egypt) and A.D. Al-Qurashi (Jeddah, Saudi Arabia).....	157
Lenticels on mango fruit: Origin, development, discoloration and prevention of their discoloration H. Rymbai, M. Srivastav, R.R. Sharma and S.K. Singh (New Delhi, India).....	164
Enzymatic activities in roots of melon genotypes infected with <i>Fusarium oxysporum</i> f. sp. <i>melonis</i> race 1 E. Madadkhah, M. Lotfi (Tehran, Iran), A. Nabipour, S. Rahmanpour (Karaj, Iran), Z. Banihashemi (Shiraz, Iran) and M. Shoorooei (Tehran, Iran).....	171
Grafting cucumber plants enhance tolerance to sodium chloride and sulfate salinization G. Colla (Viterbo, Italy), Y. Rouphael (Beirut, Lebanon), E. Rea (Roma, Italy) and M. Cardarelli (Viterbo, Italy).....	177
Application of cryoprotectants to improve low temperature storage survival of orchid seeds P.S. Huehne and K. Bhinija (Bangkok, Thailand).....	186
Efficient regeneration of <i>Renanthera</i> Tom Thumb 'Qilin' from leaf explants K. Wu, S. Zeng (Guangzhou, China), J.A. Teixeira da Silva (Kagawa, Japan), Z. Chen, J. Zhang, Y. Yang and J. Duan (Guangzhou, China).....	194
Comparative analysis of new Persian walnut cultivars: nut/kernel geometrical, gravimetric, frictional and mechanical attributes and kernel chemical composition S.M.T. Gharibzadeh, S.M. Mousavi, M. Hamed and F. Khodaiyan (Karaj, Iran).....	202
The barrier properties and potential use of recycled-LDPE films as a packaging material to preserve the quality of Jalapeño peppers by modified atmospheres J.D.J. Ornelas-Paz, P.B. Zamudio-Flores, C.G. Torres-Cisneros (Chihuahua, Mexico), R. Holguín-Soto, O.P. Ramos-Aguilar (Chihuahua, Mexico and Sonora, Mexico), S. Ruiz-Cruz (Sonora, Mexico), J.C. Guevara-Araza (San Luis Potosí, Mexico), G.A. González-Aguilar (Sonora, Mexico) and V. Santana-Rodríguez (Chihuahua, Mexico).....	210
An approach to nitrogen balance in olive orchards R. Fernández-Escobar, J.M. García-Novelo, C. Molina-Soria and M.A. Parra (Córdoba, Spain).....	219



Current Contents (A, B & ES), Research Alert, SciSearch, Science Citation Index; BIOSIS (Previews), Biological Abstracts; CAB Abstracts; Current Awareness in Biological Sciences (CABS); Geobase, Ecological Abstracts; EMBiology; PASCAL. Also covered in the abstract and citation database SCOPUS®. Full text available on ScienceDirect®

Starch accumulation and starch related genes expression in novel inter-specific inbred squash line and their parents during fruit development K. Nakkanong, J.H. Yang and M.F. Zhang (Hangzhou, PR China) .....	1
Detection of genetic and phytochemical differences between and within populations of <i>Plantago major</i> L. (plantain) M. Zubair, H. Nybom (Kristianstad, Sweden), M. Ahnlund (Umeå, Sweden) and K. Rumpunen (Kristianstad, Sweden) .....	9
Pomological and vegetative changes during transition from flood irrigation to drip irrigation: Starkrimson Delicious apple variety C. Kūçūkyumuk, E. Kaçal, A. Ertek, G. Öztürk (Isparta, Turkey) and Y.S.K. Kurtaş (Izmir, Turkey) .....	17
Influence of NH <sub>4</sub> NO <sub>3</sub> and K <sub>2</sub> SO <sub>4</sub> on qualitative characteristics of onion S. Bolandnazar, M. Mollavali and S.J. Tabatabaei (Tabriz, Iran) .....	24
Isolation of anthocyanin biosynthetic genes in red Chinese sand pear ( <i>Pyrus pyrifolia</i> Nakai) and their expression as affected by organ/tissue, cultivar, bagging and fruit side B. Yu, D. Zhang (Hangzhou, China), C. Huang (Nanchang, China), M. Qian, X. Zheng, Y. Teng (Hangzhou, China), J. Su and Q. Shu (Kunming, China) .....	29
Genetic diversity of <i>Chimonanthus nitens</i> Oliv. complex revealed using inter-simple sequence repeat markers M.-Q. Zhou (Wuhan, PR China and Jingzhou, PR China), L.-Q. Chen and R. Ruan (Wuhan, PR China) .....	38
<i>In vitro</i> somatic embryogenesis from suspension cultures of <i>Carica papaya</i> L. R. Anandan (Coimbatore, India and Annamalai, India), D. Sudhakar, P. Balasubramanian (Coimbatore, India) and A. Gutiérrez-Mora (Guadalajara, Mexico) .....	43
Development of DArT markers in olive ( <i>Olea europaea</i> L.) and usefulness in variability studies and genome mapping M.C. Domínguez-García, A. Belaj, R. De la Rosa (Cordoba, Spain), Z. Satovic (Zagreb, Croatia), K. Heller-Uszynska, A. Killian (Canberra, Australia), A. Martín and S.G. Atienza (Cordoba, Spain) .....	50
Characterization of essential oil composition, phenolic content, and antioxidant properties in wild and planted individuals of <i>Valeriana jatamansi</i> Jones I.D. Bhatt, P. Dauthal, S. Rawat, K.S. Gaira, A. Jugran, R.S. Rawal (Kosi-Katarmal, India) and U. Dhar (New Delhi, India) .....	61
Additive relationships and parent-offspring regression in <i>Musa</i> germplasm with intergeneration genome size polymorphism A. Tenkouano, J.H. Crouch and R. Ortiz (Ibadan, Nigeria) .....	69
Changes in nitrogen and polyamines during breaking bud dormancy in "Anna" apple trees with foliar application of some compounds M.A. Seif El-Yazal and M.M. Rady (Fayoum, Egypt) .....	75
Effect of end-of-day far-red light from a movable LED fixture on squash rootstock hypocotyl elongation Z.-C. Yang (Tucson, AZ, USA and Yang-ling, China), C. Kubota, P.-L. Chia and M. Kacira (Tucson, AZ, USA) .....	81
Use of compost to manage Fe nutrition of pear trees grown in calcareous soil G. Sorrenti, M. Toselli and B. Marangoni (Bologna, Italy) .....	87
Karyotype analysis using FISH (fluorescence <i>in situ</i> hybridization) in <i>Fragaria</i> I. Rae Rho (Busan, Republic of Korea), Y.J. Hwang, H.I. Lee (Daegu, Republic of Korea), C.-H. Lee (Busan, Republic of Korea) and K.B. Lim (Daegu, Republic of Korea) .....	95
Parthenocarpic genetic resources and gene expression related to parthenocarpy among four species in pear ( <i>Pyrus</i> spp.) C. Nishitani, A. Yamaguchi-Nakamura, F. Hosaka, S. Terakami, T. Shimizu, K. Yano (Tsukuba, Japan), A. Itai (Tottori, Japan), T. Saito and T. Yamamoto (Tsukuba, Japan) .....	101
Cross-species transferability of 86 cucumber ( <i>Cucumis sativus</i> L.) microsatellite markers to gherkin ( <i>C. anguria</i> L.) Y. Matsumoto (Tokyo, Japan), N. Watanabe and T. Kuboyama (Ibaraki, Japan) .....	110
Isolation and characterization of a basic Helix-Loop-Helix transcription factor gene potentially involved in proanthocyanidin biosynthesis regulation in persimmon ( <i>Diospyros kaki</i> Thunb.) F. Su, J. Hu, Q. Zhang and Z. Luo (Wuhan, China) .....	115
Arbuscular mycorrhizal fungi (AMF) induced hardening of micropropagated pomegranate ( <i>Punica granatum</i> L.) plantlets N.V. Singh (Solapur, India), S.K. Singh (New Delhi, India), A.K. Singh, D.T. Meshram, S.S. Suroshe (Solapur, India) and D.C. Mishra (Solapur, India) .....	122

(Contents continued on page 152)

Available online at [www.sciencedirect.com](http://www.sciencedirect.com)

**SciVerse ScienceDirect**

Information about *Scientia Horticulturae* is available on the World Wide Web at the following address:  
<http://www.elsevier.com/locate/scihorti>



(Continued from back cover)

The relationship between reproductive growth and blank fruit formation in <i>Corylus heterophylla</i> Fisch J. Liu, Y. Cheng, K. Yan, Q. Liu and Z. Wang (China).....	128
Genetic variability for concentrations of essential elements in tubers and leaves of Jerusalem artichoke ( <i>Helianthus tuberosus</i> L.) S. Terzić, J. Atlagić, I. Maksimović, T. Zeremski, M. Zorić, V. Miklič and I. Balalić (Novi Sad, Serbia) .....	135
Flower development and effects of a cold treatment and a supplemental gibberellic acid application on flowering of <i>Helleborus niger</i> and <i>Helleborus x ericsmithii</i> A. Christiaens (Gent, Belgium and Destelbergen, Belgium), E. Dhooghe (Gent, Belgium and Melle, Belgium), D. Pinxteren and M.C. Van Labeke (Gent, Belgium).....	145

Current Contents (A, B & ES), Research Alert, SciSearch, Science Citation Index; BIOSIS (Previews), Biological Abstracts; CAB Abstracts; Current Awareness in Biological Sciences (CABS); Geobase, Ecological Abstracts; EMBiology; PASCAL. Also covered in the abstract and citation database SCOPUS®. Full text available on ScienceDirect®

Genetic linkage maps of <i>Dendrobium moniliforme</i> and <i>D. officinale</i> based on EST-SSR, SRAP, ISSR and RAPD markers J.-J. Lu (Hangzhou, China and Nanjing, China), H.-Y. Zhao, N.-N. Suo, S. Wang, B. Shen, H.-Z. Wang and J.-J. Liu (Hangzhou, China)...	1
Tissue culture of <i>Cyclamen</i> spp. N. Jalali, R. Naderi, A. Shahi-Gharahlar (Karaj, Iran) and J.A.T. da Silva (Kagawa-ken, Japan).....	11
Root restriction affects anthocyanin accumulation and composition in berry skin of 'Kyoho' grape ( <i>Vitis vinifera</i> L. × <i>Vitis labrusca</i> L.) during ripening B. Wang, J. He (Shanghai, China), C. Duan (Beijing, China), X. Yu, L. Zhu (Shanghai, China), Z. Xie (Shanghai, China and Qinhuangdao, China), C. Zhang, W. Xu and S. Wang (Shanghai, China).....	20
Micropropagation of <i>Pistacia lentiscus</i> L. from axenic seedling-derived explants H. Yildirim (Diyarbakir, Turkey).....	29
Influence of light environment on yield determinants and components in large olive hedgerows following mechanical pruning in the subtropics of the Southern Hemisphere S.U. Cherbiy-Hoffmann, P.S. Searles (La Rioja, Argentina), A.J. Hall (Buenos Aires, Argentina) and M.C. Rousseaux (La Rioja, Argentina).....	36
Development of Ty1- <i>copia</i> retrotransposon-based S-SAP markers in strawberry ( <i>Fragaria</i> × <i>ananassa</i> Duch.) P. He (Shenyang, People's Republic of China and Taian, People's Republic of China), Y. Ma, H. Dai (Shenyang, People's Republic of China), L. Li (Taian, People's Republic of China), Y. Liu, H. Li, G. Zhao and Z. Zhang (Shenyang, People's Republic of China).....	43
Determining the emissivity of the leaves of nine horticultural crops by means of infrared thermography A. López, F.D. Molina-Aiz, D.L. Valera and A. Peña (Almería, Spain).....	49
Dispersion of rDNA loci and its implications on intragenomic variability and phylogenetic studies in <i>Camellia</i> K. Vijayan (Bangalore, India), M.-c. Chung and C.-h. Tsou (Taipei, Taiwan).....	59
Use of grape marc compost as substrate for vegetable seedlings E. Carmona, M.T. Moreno, M. Avilés and J. Ordovás (Spain).....	69
Genetic differences among 'Luotian-tianshi' ( <i>Diospyros kaki</i> Thunb.) genotypes native to China revealed by ISSR and IRAP markers L. Yuan, Q. Zhang, D. Guo and Z. Luo (Wuhan, China).....	75
Influence of chloride and bromate interaction on oxidative stress in carrot plants O. Sahin, M.B. Taskina, Y.K. Kadioglu, A. Inal, A. Gunes (Ankara, Turkey) and D.J. Pilbeam (Leeds, UK).....	81
Comparative effects of exogenous glycine betaine, kaolin clay particles and Ambiol on photosynthesis, leaf sclerophyllity indexes and heat load of olive cv. Chondrolia Chalkidikis under drought N.-K. Denaxa, P.A. Roussos, T. Damvakaris and V. Stoumaras (Athens, Greece).....	87
Magnetic exposure improves tolerance of fig 'Sabz' explants to drought stress induced <i>in vitro</i> S. Karimi, S. Hojati, S. Eshghi (Shiraz, Iran), R. Nazary Moghaddam (Tehran, Iran) and S. Jandoust (Shiraz, Iran).....	95
Effect of organic fertilization on carbon assimilation and partitioning in bearing nectarine trees K. Bravo, M. Toselli, E. Baldi, G. Marcolini, G. Sorrenti, M. Quartieri and B. Marangoni (Bologna, Italy).....	100
Preliminary genetic analysis of sucrose accumulation in berries of table grapes M. Shiraiishi, R. Shinomiya and H. Chijiwa (Fukuoka, Japan).....	107
Chloroplast microsatellite diversity and population genetic structure of Iranian pomegranate ( <i>Punica granatum</i> L.) genotypes M. Norouzi, M. Talebi and B.-E. Sayed-Tabatabaei (Isfahan, Iran).....	114
Genetic relationship analyses of oil-bearing roses in China using <i>matK</i> sequences H. Wang, L. Yao, R. Cai, J. Pan and X. Chen (Shanghai, China).....	121
Effects of the ethylene inhibitor aminoethoxyvinylglycine (AVG) on fruit abscission and yield on pruned and unpruned macadamia trees L. McFadyen, D. Robertson (Wollongbar, Australia), M. Sedgley, P. Kristiansen (Armidale, Australia) and T. Olesen (Wollongbar, Australia and Armidale, Australia).....	125
Influence of repeated pollination on seed number and fruit shape of 'Fuji' apples S. Matsumoto (Nagoya, Japan), J. Soejima (Morioka, Japan) and T. Maejima (Nagano, Japan).....	131
Fruit color development, anthocyanin content, standard quality, volatile compound emissions and consumer acceptability of several 'Fuji' apple strains I. Iglesias, G. Echeverría and M.L. Lopez (Lleida, Spain).....	138
Identifying somaclonal variants of the apple rootstock Malling 7 resistant to white root rot M. Modgil, N. Guleria, M. Ghani and J.N. Sharma (Solan, India).....	148
Effect of root restriction on nitrogen levels and glutamine synthetase activity in 'Kyoho' grapevines X. Yu, B. Wang, C. Zhang, W. Xu, J. He, L. Zhu and S. Wang (Shanghai, China).....	156

Available online at [www.sciencedirect.com](http://www.sciencedirect.com)

**SciVerse ScienceDirect**

Information about *Scientia Horticulturae* is available on the World Wide Web at the following address:  
<http://www.elsevier.com/locate/scihorti>



Current Contents (A, B & ES), Research Alert, SciSearch, Science Citation Index; BIOSIS (Previews), Biological Abstracts; CAB Abstracts; Current Awareness in Biological Sciences (CABS); Geobase, Ecological Abstracts; EMBiology; PASCAL. Also covered in the abstract and citation database SCOPUS®. Full text available on ScienceDirect®

Tolerance to salt stress and blossom-end rot in an introgression line, IL8-3, of tomato A. Uozumi, H. Ikeda, M. Hiraga, H. Kanno, M. Nanzyo, M. Nishiyama, K. Kanahama and Y. Kanayama (Sendai, Japan) .....	1
Increased light intensity during <i>in vitro</i> culture improves water loss control and photosynthetic performance of <i>Castanea sativa</i> grown in ventilated vessels P.L. Sáez (Concepción, Chile), L.A. Bravo, M.I. Latsague (Temuco, Chile), M.E. Sánchez and D.G. Ríos (Concepción, Chile) .....	7
Application of synthetic siderite (FeCO <sub>3</sub> ) to the soil is capable of alleviating iron chlorosis in olive trees I. Sánchez-Alcalá, F. Bellón, M.C. del Campillo, V. Barrón and J. Torrent (Córdoba, Spain) .....	17
Applications of chlorophyll fluorescence imaging technique in horticultural research: A review E. Gorbe (Wageningen, The Netherlands) and A. Calatayud (Valencia, Spain) .....	24
Radiosensitivity of <i>Hebe</i> 'Oratia Beauty' and 'Wiri Mist' irradiated <i>in vitro</i> with $\gamma$ -rays from <sup>60</sup> Co A. Gallone, A. Hunter and G.C. Douglas (Dublin, Ireland) .....	36
Alternate furrow irrigation and nitrogen level effects on migration of water and nitrate-nitrogen in soil and root growth of cucumber in solar-greenhouse L. Zhang (Beijing, China and Tianjin, China), L. Gao, L. Zhang, S. Wang, X. Sui and Z. Zhang (Beijing, China) .....	43
Evaluation of quince clones for tolerance to iron chlorosis on calcareous soil under field conditions E. Alcántara, I. Montilla (Córdoba, Spain), P. Ramírez (Cabra, Spain), P. García-Molina and F.J. Romera (Córdoba, Spain) .....	50
Induction of natural defence accompanied by salicylic acid-dependant systemic acquired resistance in tomato seedlings in response to bioelicitors isolated from green algae C. El Modafar, M. Elgadda (Marrakech, Morocco), R. El Boutachfai (Amiens, France), E. Abouraicha, N. Zehhar (Marrakech, Morocco), E. Petit (Amiens, France), Z. El Alaoui-Talibi (Marrakech, Morocco), B. Courtois and J. Courtois (Amiens, France) .....	55
Floral initiation in black currant cultivars ( <i>Ribes nigrum</i> L.): Effects of plant size, photoperiod, temperature, and duration of short day exposure O.M. Heide (Ås, Norway) and A. Sønsteby (Kapp, Norway) .....	64
Floral characteristics and gametophyte development of <i>Anemone coronaria</i> L. and <i>Ranunculus asiaticus</i> L. (Ranunculaceae) E. Dhooche (Gent, Belgium and Melle, Belgium), W. Grunewald, D. Reheul, P. Goetghebeur and M.-C. Van Labeke (Gent, Belgium) .....	73
Enzymatic reactive oxygen species (ROS) scavenging system in mango varieties resistant and susceptible to malformation O.P. Singh, K. Usha, E. Saboki, M. Srivastav, A. Dahuja and B. Singh (New Delhi, India) .....	81
Role of lenticel morphology, frequency and density on incidence of lenticel breakdown in 'Gala' apples S.S. Turketti (Matieland, South Africa), E. Curry (Wenatchee, WA, USA) and E. Lötze (Matieland, South Africa) .....	90
Gibberellic acid spray and bunch bagging increase bunch weight and improve fruit quality of 'Barhee' date palm cultivar under hot arid conditions M.A. Awad (Jeddah, Saudi Arabia and El-Mansoura, Egypt) and A.D. Al-Qurashi (Jeddah, Saudi Arabia) .....	96
Polyembryony and seedling emergence traits in apomictic citrus K. Kishore, M. N., R. D., B. Lepcha and B. Pandey (Gangtok, India) .....	101
Photosynthesis and stomatal conductance of five mango cultivars in the seasonally wet-dry tropics of northern Australia P. Lu, E.K. Chacko, S.L. Bithell, H. Schaper, J. Wiebel, S. Cole (Darwin, Australia) and W.J. Müller (Canberra, Australia) .....	108
Selection and application of SSR markers for variety discrimination, genetic similarity and relation analysis in gerbera ( <i>Gerbera hybrida</i> ) L. Gong and Z. Deng (Wimauma, FL, USA) .....	120
Selection of reliable reference genes for gene expression studies in <i>Rhododendron micranthum</i> Turcz S. Yi, Y. Qian, L. Han, Z. Sun, C. Fan, J. Liu and G. Ju (Beijing, China) .....	128
Genetic control of aluminium tolerance in <i>okra</i> ( <i>Abelmoschus esculentus</i> (L.) Moench) D. Singh (Pasighat, India) .....	134
Genetic diversity analysis based on ISSR, RAPD and SSR among Turkish Apricot Germplasms in Iran Caucasian eco-geographical group K.U. Yilmaz (Kayseri, Turkey), S. Paydas-Kargi, Y. Dogan and S. Kafkas (Adana, Turkey) .....	138
Temperature-dependent enhancement of pollen tube growth observed in interspecific crosses between wild <i>Cucumis</i> spp. and melon ( <i>C. melo</i> L.) Y. Matsumoto, M. Miyagi (Kasama, Japan), N. Watanabe and T. Kuboyama (Inashiki, Japan) .....	144
Qualitative and quantitative aspects of olive production in relation to climate in southern Italy F. Orlandi, T. Bonfiglio, B. Romano and M. Fornaciari (Perugia, Italy) .....	151
Detecting salinity stress in tall fescue based on single leaf spectrum Y. Gao and D. Li (Fargo, ND, USA) .....	159

(Contents continued on BMI)

Available online at [www.sciencedirect.com](http://www.sciencedirect.com)

**SciVerse ScienceDirect**

Information about *Scientia Horticulturae* is available on the World Wide Web at the following address:  
<http://www.elsevier.com/locate/scihorti>



(Continued from outside back cover)

Prediction of harvest start date in highbush blueberry using time series regression models with correlated errors  
C. Muñoz, J. Ávila, S. Salvo and J.I. Huircán (Chile)..... 165

Non-destructive prediction of sweetness of intact mango using near infrared spectroscopy  
S.N. Jha, P. Jaiswal, K. Narsaiah, M. Gupta, R. Bhardwaj and A.K. Singh (Ludhiana, India) ..... 171

Morphological variation in local pears from north-western Spain  
S. Pereira-Lorenzo, A.R.F. dos Santos, A.M. Ramos-Cabrer (Lugo, Spain), F. Sau (Madrid, Spain) and M.B. Díaz-Hernández (Lugo, Spain)..... 176

Genetic analysis of a garlic (*Allium sativum* L.) germplasm collection from Argentina  
S. García-Lampasona (Mendoza, Argentina), P. Asprelli (Mendoza, Argentina and Cuyo, Argentina) and J.L. Burba (Mendoza, Argentina)..... 183

Nondestructive diagnostics of nitrogen deficiency by cucumber leaf chlorophyll distribution map based on near infrared hyperspectral imaging  
S. Ji-Yong, Z. Xiao-Bo, Z. Jie-Wen, W. Kai-Liang, C. Zheng-Wei, H. Xiao-Wei, Z. De-Tao (Zhenjiang, China) and M. Holmes (Leeds, UK)..... 190

Asymbiotic seed germination, seedling development and reintroduction of *Paphiopedilum wardii* Sumerh., an endangered terrestrial orchid  
S. Zeng (Guangzhou, China and Beijing, China), K. Wu (Guangzhou, China), J.A. Teixeira da Silva (Miki-cho, Japan), J. Zhang, Z. Chen, N. Xia and J. Duan (Guangzhou, China)..... 198

Influence of rootstock variety on Huanglongbing disease development in field-grown sweet orange (*Citrus sinensis* [L.] Osbeck) trees  
U. Albrecht, G. McCollum and K.D. Bowman (Fort Pierce, FL, USA) ..... 210

Developing a physiological-based, on-demand irrigation system for container production  
A.F. Fulcher (Knoxville, TN, USA), J.W. Buxton and R.L. Geneve (Lexington, KY, USA)..... 221

Estimation of leaf area for large scale phenotyping and modeling of rose genotypes  
M. Gao, G.W.A.M. Van der Heijden, J. Vos, B.A. Eveleens and L.F.M. Marcelis (Wageningen, The Netherlands)..... 227

Interactions between changing climate conditions in a semi-closed greenhouse and plant development, fruit yield, and health-promoting plant compounds of tomatoes  
D. Dannehl, C. Huber, T. Rocksch, S. Huyskens-Keil and U. Schmidt (Berlin, Germany) ..... 235

Molecular diversity and genetic relationship of pomegranate (*Punica granatum* L.) genotypes using microsatellite markers  
M. Parvaresh, M. Talebi and B.-E. Sayed-Tabatabaei (Isfahan, Iran) ..... 244

Postharvest quality and physiological responses of clove bud extract dip on 'Newhall' navel orange  
R. Zeng (Nanchang, China and Foshan, PR China), A. Zhang, J. Chen and Y. Fu (Nanchang, PR China) ..... 253

Variation in polyphenol profile and head morphology among clones of globe artichoke selected from a landrace  
G. Pandino, S. Lombardo, R.P. Mauro and G. Mauromicale (Catania, Italy) ..... 259

Preharvest application of 1-methylcyclopropene inhibits ripening and improves keeping quality of 'Brown Turkey' figs (*Ficus carica* L.)  
Z.E. Freiman, V. Rodov, Z. Yablovitz, B. Horev and M.A. Flaishman (Bet-Dagan, Israel) ..... 266

Current Contents (A, B & ES), Research Alert, SciSearch, Science Citation Index; BIOSIS (Previews), Biological Abstracts; CAB Abstracts; Current Awareness in Biological Sciences (CABS); Geobase, Ecological Abstracts; EMBiology; PASCAL. Also covered in the abstract and citation database SCOPUS®. Full text available on ScienceDirect®

Differentiation of carbonate, chloride, and sulfate salinity responses in tall fescue Y. Gao, D. Li (Fargo, ND, USA) and Y. Chen (Harbin, China).....	1
Transgenic lettuce ( <i>Lactuca sativa</i> L.) expressing H1N1 influenza surface antigen (neuraminidase) C.-W. Liu (Chang Hua, Taiwan), J.J.W. Chen (Taichung, Taiwan), C.-C. Kang, C.-H. Wu and J.-C. Yiu (Ilan, Taiwan).....	8
Effectiveness of juvenile tree growth rate as an index for selecting high yielding cocoa families F.K. Padi, S.Y. Opoku, B. Adomako (Akim, Ghana) and Y. Adu-Ampomah (Accra, Ghana) .....	14
S-RNase based S-genotyping of Croatian sweet cherry ( <i>Prunus avium</i> L.) genotypes S. Ercisli (Erzurum, Turkey), M. Radunic (Split, Croatia), J. Gadze (Zagreb, Croatia), A. Ipek (Bursa, Turkey), M. Skaljic (Split, Croatia) and Z. Cmelik (Zagreb, Croatia) .....	21
Plant architectural traits and their role in defense mechanism against malformation in mango ( <i>Mangifera Indica</i> L.) S. Ebrahim, K. Usha and B. Singh (New Delhi, India).....	25
Hydrogen peroxide in the vase solution increases vase life and keeping quality of cut Oriental × Trumpet hybrid lily 'Manissa' W.-B. Liao, M.-L. Zhang, G.-B. Huang and J.-H. Yu (Lanzhou, China) .....	32
Genetic relatedness among <i>Aechmea</i> species and hybrids inferred from AFLP markers and pedigree data F. Zhang, W. Wang, Y. Ge, X. Shen, D. Tian, J. Liu, X. Liu, X. Yu and Z. Zhang (Hangzhou, China) .....	39
<i>In vitro</i> propagation of <i>Eulophia nuda</i> Lindl., an endangered orchid D. Panwar, K. Ram, Harish and N.S. Shekhawat (Jodhpur, India) .....	46
Longevity of crapemyrtle pollen stored at different temperatures A.S.M.G.M. Akond (Dallas, TX, USA), C.T. Pounders, E.K. Blythe (Poplarville, MS, USA) and X. Wang (Dallas, TX, USA) .....	53
Pollen and seed fertility of three functional male-sterile lines of eggplant with the wild <i>Solanum</i> cytoplasm M. Hasnunnahar (Kagoshima, Japan), M.M.R. Khan and S. Isshiki (Saga, Japan) .....	58
Influence of the pollinizer in the amygdalin content of almonds R. Sánchez-Pérez (Murcia, Spain), G. Arrázola (Córdoba, Colombia), M.L. Martín, N. Grané (Alicante, Spain) and F. Dicenta (Murcia, Spain).....	62
The relationship between developmental stages of zygotic embryos at explanting and embryogenic frequency on hickory ( <i>Carya cathayensis</i> Sarg.) Q. Zhang, H. Hu, Y. Huang, K. Han, H. Xu, Y. Shen, S. Li and J. Huang (Lin'an, China).....	66
Responses of 'Sunrise-solo' pawpaw, okra and cucumber components of pawpaw based cropping system to time of intercropping O.O. Olobode, I.O.O. Aiyelaagbe and J.G. Bodunde (Abeokuta, Nigeria).....	71
Does alteration of 'Koroneiki' olive tree architecture by uniconazole affect productivity? D. Schneider, M. Goldway (Kiryat-Shmona, Israel), R. Birger (Migdal Haemeq, Israel) and R.A. Stern (Kiryat-Shmona, Israel).....	79
Development of method for preparing high molecular weight DNA from chrysanthemum X. Guo, X. Zhang, Z. Wu, C. Luo, X. Cheng and C. Huang (Beijing, China) .....	86
Effects of the modification of light intensity by color shade nets on yield and quality of tomato fruits Z.S. Ilić, L. Milenković (Lešak, Serbia), L. Stanojević, D. Cvetković (Leskovac, Serbia) and E. Fallik (Israel).....	90
Antisense suppression of alcohol acetyltransferase gene in ripening melon fruit alters volatile composition W. Shan, C. Zhao, J. Fan, H. Cong, S. Liang and X. Yu (Shandong, PR China).....	96
Moderate variations of day/night temperatures affect flower induction and inflorescence development in <i>Phalaenopsis</i> R. Paradiso, A. Maggio and S. De Pascale (Naples, Italy) .....	102
Isolation and expression analysis of <i>FLOWERING LOCUS T</i> -like and gibberellin metabolism genes in biennial-bearing mango trees M. Nakagawa (Nara, Japan), C. Honsho (Miyazaki, Japan), S. Kanzaki (Nara, Japan), K. Shimizu (Wakayama, Japan) and N. Utsunomiya (Nara, Japan) .....	108

Available online at [www.sciencedirect.com](http://www.sciencedirect.com)

**SciVerse ScienceDirect**

Information about *Scientia Horticulturae* is available on the World Wide Web at the following address:  
<http://www.elsevier.com/locate/scihorti>



Abstracted/Indexed in: Current Contents (A, B & ES), Research Alert, SciSearch, Science Citation Index; BIOSIS (Previews), Biological Abstracts; CAB Abstracts; Current Awareness in Biological Sciences (CABS); Geobase, Ecological Abstracts; EMBiology; PASCAL. Also covered in the abstract and citation database SCOPUS®. Full text available on ScienceDirect®

Male–female interaction and temperature variation affect pollen performance in <i>Citrus</i> G. Distefano (Catania, Italy), A. Hedhly (Zurich, Switzerland), G. Las Casas, S. La Malfa (Catania, Italy), M. Herrero (Zaragoza, Spain) and A. Gentile (Catania, Italy).....	1
Effects of time and duration of short-day treatments under long-day conditions on flowering of a quantitative short-day sunflower ( <i>Helianthus annuus</i> L.) 'Sunrich Orange' P. Yañez, S. Chinone, R. Hirohata, H. Ohno and K. Ohkawa (Shizuoka-City, Japan).....	8
A convenient sample preparation protocol for scanning electron microscope examination of xylem-occluding bacterial biofilm on cut flowers and foliage K. Ratnayake (Gatton, Australia), D.C. Joyce (Gatton, Australia and Brisbane, Australia) and R.I. Webb (St. Lucia, Australia).....	12
Carbohydrate changes during dormancy release in Superior Seedless grapevine cuttings following hydrogen cyanamide treatment H. Ben Mohamed, A.M. Vadel (Gabès, Tunisia), J.M.C. Geuns (Heverlee, Belgium) and H. Khemira (Jazan, Saudi Arabia).....	19
Phenolic compounds, maturation and quality in fresh green olives for table use during exposure at 20°C after preharvest ReTain treatment E. Tsantili, M. Kafkaleto, P.A. Roussos and M.V. Christopoulos (Athens, Greece).....	26
Effects of 9-hydroxy-10-oxo-12(Z), 15(Z)-octadecadienoic acid (KODA) on lateral primordial formation in the apical flower buds of Japanese pear [ <i>Pyrus pyrifolia</i> (Burm.f.) Nakai] D. Sakamoto, Y. Nakamura (Tsukuba, Japan), M. Yokoyama, O. Ifuku (Yokohama, Japan) and T. Moriguchi (Tsukuba, Japan).....	33
Repeatability and optimum trial configuration for field-testing of banana and plantain A. Tenkouano (Ibadan, Nigeria), R. Ortiz (Alnarp, Sweden) and S. Nokoe (Ibadan, Nigeria).....	39
Phylogenetic relationships of wild roses in China based on nrDNA and <i>matK</i> data X. Qiu, H. Zhang, Q. Wang, H. Jian, H. Yan, T. Zhang, J. Wang and K. Tang (Kunming, PR China).....	45
Expression analysis of putative genes of pectin modifying enzymes in different callus lines of <i>Cyclamen persicum</i> and their correlation with the callus texture C. Hoenemann, K. Krueger and A. Hohe (Erfurt, Germany).....	52
Yield and traits of bulb quality in the Spanish sweet onion cultivar 'Fuentes de Ebro' after selection for low pungency C. Mallor (Zaragoza, Spain) and E. Sales (Huesca, Spain).....	60
Antioxidant defense system and proline accumulation enables hot pepper to perform better under drought S.A. Anjum (Chongqing, China), M. Farooq (Faisalabad, Pakistan and Crawley, Australia), X.-y. Xie, X.-j. Liu (Chongqing, China) and M.F. Ijaz (Faisalabad, Pakistan).....	66
Improved micropropagation protocol for leatherleaf fern ( <i>Rumohra adiantiformis</i> ) using rhizomes as donor explant B. Winarto (Sindanglaya, Indonesia) and J.A. Teixeira da Silva (Kagawa, Japan).....	74
Nitrogen fertilization and chemical thinning with 6-benzyladenine affect fruit set and quality of golden delicious apples B. Milić, R. Čabilovski, Z. Keserović, M. Manojlović, N. Magazin and M. Dorić (Novi Sad, Serbia).....	81
Impact of germination time and type of illumination on the antioxidant compounds and antioxidant capacity of <i>Lens culinaris</i> sprouts M. Świeca, U. Gawlik-Dziki, D. Kowalczyk and U. Zlotek (Lublin, Poland).....	87
Shoot tissue pigment levels increase in 'Florida Broadleaf' mustard ( <i>Brassica juncea</i> L.) microgreens following high light treatment D.A. Kopsell, N.I. Pantanizopoulos, C.E. Sams (Knoxville, TN, USA) and D.E. Kopsell (Normal, IL, USA).....	96
Physico-chemical characterization of six pomegranate cultivars from Morocco: Processing and fresh market aptitudes J.J. Martínez, F. Hernández (Alicante, Spain), H. Abdelmajid (Béni Mellal, Morocco), P. Legua, R. Martínez (Alicante, Spain), A.E. Amine (Béni Mellal, Morocco) and P. Melgarejo (Alicante, Spain).....	100
Characteristics of a novel male–female sterile watermelon ( <i>Citrullus lanatus</i> ) mutant Y. Zhang, Z. Cheng, J. Ma, F. Xian and X. Zhang (Shaanxi, China).....	107
Development of polymorphic microsatellite loci in <i>Momordica charantia</i> (Cucurbitaceae) and their transferability to other cucurbit species Y. Ji (Huai'an, China and Nanjing, China), Y. Luo (Huai'an, China), B. Hou (Nanjing, China), W. Wang, J. Zhao, L. Yang (Huai'an, China), Q. Xue and X. Ding (Nanjing, China).....	115

(Contents continued on BMI)

Available online at [www.sciencedirect.com](http://www.sciencedirect.com)

**SciVerse ScienceDirect**

Information about *Scientia Horticulturae* is available on the World Wide Web at the following address:  
<http://www.elsevier.com/locate/scihorti>



(Continued from outside back cover)

<i>In vitro</i> propagation and molecular evaluation of a <i>Capsicum annuum</i> L. cultivar with a high chromosome number ( $2n = 48$ ) A. Dafadar, A. Das, S. Bandyopadhyay and T.b. Jha (Kolkata, India).....	119
Gibberellic acid ( $GA_3$ ) application at the end of pit ripening: Effect on ripening and storage of two harvests of 'September Snow' peach A. Dagar (Bet Dagan, Israel and Rehovot, Israel), A. Weksler, H. Friedman and S. Lurie (Bet Dagan, Israel).....	125
Potted mycorrhizal carnation plants and saline stress: Growth, quality and nutritional plant responses A. Navarro (Bari, Italy), A. Elia, G. Conversa (Foggia, Italy), P. Campi and M. Mastrorilli (Bari, Italy) .....	131
Origins of early-flowering cherry cultivars, <i>Prunus</i> × <i>kanzakura</i> cv. Atami-zakura and <i>Prunus</i> × <i>kanzakura</i> cv. Kawazu-zakura, revealed by experimental crosses and AFLP analysis T. Ogawa, Y. Kameyama (Tokyo, Japan), Y. Kanazawa (Fukuoka, Japan), K. Suzuki and M. Somego (Tokyo, Japan) .....	140
The occurrence of protruding pistil in sweet cherry ( <i>Prunus avium</i> L.) and its consequence on fertilization C. Zhang (Shanghai, China and Prosser, WA, USA) and M. Whiting (Prosser, WA, USA).....	149
Agronomical and fruit quality traits of two peach cultivars on peach-almond hybrid rootstocks growing on Mediterranean conditions C. Font i Forcada, Y. Gogorcena and M.A. Moreno (Zaragoza, Spain) .....	157
Development and characterization of cDNA library based novel EST-SSR marker in radish ( <i>Raphanus sativus</i> L.) L. Jiang, L. Wang, L. Liu (Nanjing, PR China), X. Zhu (Fargo, ND, USA), L. Zhai and Y. Gong (Nanjing, PR China).....	164



Abstracted/Indexed in: Current Contents (A, B & ES), Research Alert, SciSearch, Science Citation Index; BIOSIS (Previews), Biological Abstracts; CAB Abstracts; Current Awareness in Biological Sciences (CABS); Geobase, Ecological Abstracts; EMBiology; PASCAL. Also covered in the abstract and citation database SCOPUS®. Full text available on ScienceDirect®

Genetic diversity and population structure of cultivated bromeliad accessions assessed by SRAP markers F. Zhang, Y. Ge, W. Wang, X. Shen, X. Liu, J. Liu, D. Tian and X. Yu (Hangzhou, China).....	1
Influence of shade on flavonoid biosynthesis in tea ( <i>Camellia sinensis</i> (L.) O. Kuntze) Y. Wang, L. Gao, Y. Shan, Y. Liu, Y. Tian and T. Xia (Anhui, China) .....	7
Analysis of the proteins related to browning in leaf culture of <i>Phalaenopsis</i> G. Chen (Guangzhou, China and Zhaoqing, China), D. Chen, T. Wang (Guangzhou, China), C. Xu (Xiamen, China) and L. Li (Guangzhou, China) .....	17
Micropropagation of self-heading <i>Philodendron</i> via direct shoot regeneration F.C. Chen (Pingtung, Taiwan), C.Y. Wang (Tainan, Taiwan) and J.Y. Fang (Pingtung, Taiwan) .....	23
Comparison of leaf population of sweet cherry ( <i>Prunus avium</i> L.) trees on different rootstocks M. Gyeviki, K. Hrotkó and P. Horfi (Budapest, Hungary).....	30
Studying the polyphenols of grapevine leaves according to age and insertion level under controlled conditions K. Schoedl, R. Schuhmacher and A. Fomeck (Tulln, Austria) .....	37
1-Methylcyclopropene reduces chilling injury of harvested okra ( <i>Hibiscus esculentus</i> L.) pods S. Huang, T. Li, G. Jiang, W. Xie, S. Chang, Y. Jiang and X. Duan (Guangzhou, PR China) .....	42
The effect of using PPM (plant preservative mixture) on the development of cauliflower microshoots and the quality of artificial seed produced H.Z. Riham, M. Al-Issawi, F. Al-swedi and M.P. Fuller (Plymouth, UK) .....	47
Highly polymorphic nSSR markers: A useful tool to assess origin of North African cultivars and to provide additional proofs of secondary grapevine domestication events L. Riahi (Hammam-Lif, Tunisia), V. Laucou, L. Le Cunff (Montpellier, France), N. Zoghalmi (Hammam-Lif, Tunisia), J.-M. Boursiquot, T. Lacombe (Montpellier, France), K. El-Heit (Tizi-Ouzou, Algeria), A. Mliki (Hammam-Lif, Tunisia) and P. This (Montpellier, France).....	53
Identification and expression analysis of genes involved in anthocyanin and proanthocyanidin biosynthesis in the fruit of blackberry Q. Chen, H. Yu, H. Tang (Ya'an, China and Chengdu, China) and X. Wang (Ya'an, China and Chengdu, China) .....	61
Effect of 1-methylcyclopropene (1-MCP) on the postharvest senescence of coriander leaves during storage and its relation to antioxidant enzyme activity F.A.S. Hassan (Tanta, Egypt and Taif, Saudi Arabia) and S.A. Mahfouz (Cairo, Egypt).....	69
Comparison of aroma compounds in Dwarf Cavendish banana ( <i>Musa</i> spp. AAA) grown from open-field and protected cultivation area S. Seili (Adana, Turkey), H. Gubbuk (Antalya, Turkey), E. Kafkas (Adana, Turkey) and E. Gunes (Antalya, Turkey) .....	76
Accumulation and distribution characteristics for nitrogen, phosphorus and potassium in different cultivars of <i>Petunia hybrida</i> Vilm. W. Zhang, X. Li, F. Chen and J. Lu (Wuhan, China).....	83
Photo-selective hail nets affect fruit size and quality in Hayward kiwifruit B. Basile, M. Giaccone, C. Cirillo, A. Rittieni, G. Graziani (Napoli, Italy), Y. Shahak (Bet-Dagan, Israel) and M. Forlani (Napoli, Italy) .....	91

Available online at [www.sciencedirect.com](http://www.sciencedirect.com)

**SciVerse ScienceDirect**

Information about *Scientia Horticulturae* is available on the World Wide Web at the following address:  
<http://www.elsevier.com/locate/scihorti>



Abstracted/Indexed in: Current Contents (A, B & ES), Research Alert, SciSearch, Science Citation Index; BIOSIS (Previews), Biological Abstracts; CAB Abstracts; Current Awareness in Biological Sciences (CABS); Geobase, Ecological Abstracts; EMBiology; PASCAL. Also covered in the abstract and citation database SCOPUS®. Full text available on ScienceDirect®

Effect of cross direction and cultivars on crossability of interspecific hybridization between <i>Vaccinium corymbosum</i> and <i>Vaccinium virgatum</i> C. Miyashita (Tokyo, Japan), M. Mii (Chiba, Japan), T. Aung and I. Ogiwara (Tokyo, Japan).....	1
Genetic diversity and differentiation of grafted and seed propagated apricot ( <i>Prunus armeniaca</i> L.) in the Maghreb region H. Bourguiba (El Manar, Tunisia; Montpellier, France and Montfavet, France), J.-M. Audergon (Montfavet, France), L. Krichen, N. Trifi-Farah (El Manar, Tunisia), A. Mamouni (Meknès, Morocco), S. Trabelsi (Blida, Algeria) and B. Khadari (Montpellier, France).....	7
Nitrogen application rate, leaf position and age affect leaf nutrient status of five specialty cut flowers I. Ahmad (Faisalabad, Pakistan and Raleigh, NC, USA), J.M. Dole and P. Nelson (Raleigh, NC, USA).....	14
Changes in ethylene production, carbohydrase activity and antioxidant status in pepper fruits during ripening C.K. Tan, Z.M. Ali and Z. Zainal (Bangi, Malaysia).....	23
Long days promote somatic embryogenesis in spinach J. Milojević, L. Tubić (Belgrade, Serbia), S. Pavlović (Smederevska Palanka, Serbia), N. Mitić, D. Čalić, B. Vinterhalter and S. Zdravković-Korać (Belgrade, Serbia).....	32
Resistant responses of tomato fruit treated with exogenous methyl jasmonate to <i>Botrytis cinerea</i> infection Z. Zhu and S. Tian (Beijing, China).....	38
Application timing and concentration of abscisic acid improve color of 'Benitaka' table grape S.R. Roberto, A.M. de Assis, L.Y. Yamamoto, L.C.V. Miotto, A.J. Sato, R. Koyama and W. Genta (Londrina, Brazil).....	44
Drought tolerance of passion fruit plants assessed by the OJIP chlorophyll a fluorescence transient M.T.G. Gomes, A.C. da Luz, M.R. dos Santos, M. do Carmo Pimentel Batifucci, D.M. Silva (Vitória, Brazil) and A.R. Falqueto (São Mateus, Brazil).....	49
Genetic diversity of Portuguese <i>Arbutus unedo</i> L. populations using leaf traits and molecular markers: An approach for conservation purposes L. Lopes (Viçosa, Brazil), O. Sá, J.A. Pereira and P. Baptista (Bragança, Portugal).....	57
Effects of fruit bagging on the contents of phenolic compounds in the peel and flesh of 'Golden Delicious', 'Red Delicious', and 'Royal Gala' apples C.-S. Chen, D. Zhang, Y.-Q. Wang, P.-M. Li and F.-W. Ma (Yangling, China).....	68
Short-period changes in weather conditions affect xylem, but not phloem flows to young kiwifruit ( <i>Actinidia deliciosa</i> ) berries B. Morandi, P. Losciale, L. Manfrini, E. Pierpaoli, M. Zibordi and L. Corelli Grappadelli (Bologna, Italy).....	74
Plastid <i>trnL</i> intron polymorphisms among <i>Phalaenopsis</i> species used for identifying the plastid genome type of <i>Phalaenopsis</i> hybrids C.-C. Tsai (Pingtung, Taiwan), Y.-C. Chiang (Kaohsiung, Taiwan), Y.-S. Lin, W.-L. Liu (Pingtung, Taiwan) and C.-H. Chou (Taichung, Taiwan).....	84
Effects of low temperature phosphine fumigation on postharvest quality of white chrysanthemum 'Dabajiu' F. Zhang, Y. Wang, T. Liu, L. Li and T. Li (Beijing, PR China).....	92
Changes in activities and gene expression of enzymes associated with cell wall modification in peels of hot water treated bananas N. Amnuaysin (Bangkok, Thailand), M.L. Jones (Wooster, OH, USA) and K. Seraypheap (Bangkok, Thailand).....	98
Rootstocks for high fruit yield and quality of 'Tahiti' lime under rain-fed conditions T. Cantuarias-Avilés, F. de A.A. Mourão Filho (Piracicaba, Brazil), E.S. Stuchi (Bebedouro, Brazil), S.R. da Silva, E. Espinoza-Núñez and H.B. Neto (Piracicaba, Brazil).....	105
Sugars and organic acids changes in pericarp and endocarp tissues of pumelo fruit during postharvest storage X.-H. Sun, J.-J. Xiong, A.-D. Zhu, L. Zhang, Q.-L. Ma, J. Xu, Y.-J. Cheng and X.-X. Deng (Wuhan, PR China).....	112
Exogenous nitric oxide (NO) increased antioxidant capacity of cucumber hypocotyl and radicle under salt stress Y. Lin, Z. Liu, Q. Shi, X. Wang, M. Wei and F. Yang (Taian, PR China).....	118
Combined effects of irrigation, crop load and fruit position on size, color and firmness of fruits in an extra-early cultivar of peach R. Alcobendas (Espinardo, Spain), J.M. Mirás-Avalos (A Coruña, Spain), J.J. Alarcón, F. Pedrero and E. Nicolás (Espinardo, Spain).....	128
Characterising the genetic diversity of Lithuanian sweet cherry ( <i>Prunus avium</i> L.) cultivars using SSR markers V. Stanyš, D. Baniulis, S. Morkunaite-Haimi, J.B. Siksnianiene, B. Frercks, D. Gelvonauskienė, I. Stepulaitienė, G. Staniene and T. Siksnianas (Babtai, Lithuania).....	136

(Contents continued on BMI)

Available online at [www.sciencedirect.com](http://www.sciencedirect.com)

**SciVerse ScienceDirect**

Information about *Scientia Horticulturae* is available on the World Wide Web at the following address:  
<http://www.elsevier.com/locate/scihorti>



(Continued from outside back cover)

Aminolevulinic acid-induced changes in some key physiological attributes and activities of antioxidant enzymes in sunflower ( <i>Helianthus annuus</i> L.) plants under saline regimes N.A. Akram (Faisalabad, Pakistan), M. Ashraf (Faisalabad, Pakistan and Riyadh, Saudi Arabia) and F. Al-Qurainy (Riyadh, Saudi Arabia) .....	143
Isolation and expression analysis of <i>CiNIP5</i> , a citrus boron transport gene involved in tolerance to boron deficiency J.-c. An, Y.-z. Liu, C.-q. Yang, G.-f. Zhou, Q.-j. Wei and S.-a. Peng (Wuhan, China).....	149
Influence of nitrogen fertilization on polyphenol oxidase activity in peach fruits V. Falguera, J. Lordan, F. Gafius, M. Pascual, J.M. Villar, A. Ibarz and J. Rufat (Lleida, Spain).....	155
Identification of floral fragrances in tree peony cultivars by gas chromatography–mass spectrometry S. Li, L. Chen, Y. Xu, L. Wang and L. Wang (Beijing, China).....	158
The effect of planting distances and tree shape on yield and harvest efficiency of cv. Manzanillo table olives S. Lavee (Rehovot, Israel and Bet-Dagan, Israel), A. Haskal and B. Avidan (Bet-Dagan, Israel).....	166
Micropropagation of <i>Cyrtanthus</i> 'Orange Gem' × <i>C. eucallus</i> hybrid J. Hong (Nowon-Ku, Republic of Korea) and A.K. Lee (Cheonan, Republic of Korea) .....	174
β-Carotene yield and productivity of orange-fleshed sweet potato ( <i>Ipomoea batatas</i> L. Lam.) as influenced by irrigation and fertilizer application treatments S.M. Laurie (Pretoria, South Africa), M. Faber, P.J. van Jaarsveld (Tygerberg, South Africa), R.N. Laurie, C.P. du Plooy and P.C. Modisane (Pretoria, South Africa).....	180
Comparative analysis of genetic diversity of lotus ( <i>Nelumbo</i> ) using SSR and SRAP markers M. Yang, Y. Han, L. Xu, J. Zhao and Y. Liu (Wuhan, China).....	185
Effects of preharvest oligochitosan sprays on postharvest fungal diseases, storage quality, and defense responses in jujube ( <i>Zizyphus jujuba</i> Mill. cv. Dongzao) fruit J. Yan (Beijing, PR China and Gainesville, FL, USA), J. Cao (Beijing, PR China and Ithaca, NY, USA), W. Jiang and Y. Zhao (Beijing, PR China).....	196
Fertilizer recommendations for olive based upon nutrients removed in crop and pruning M.Á. Rodrigues, I.Q. Ferreira, A.M. Claro and M. Arrobas (Bragança, Portugal).....	205
Isolation and characterization of a dehydration responsive element binding factor <i>MsDREBA5</i> in <i>Malus sieversii</i> Roem. X.-j. Zhao, H.-j. Lei, K. Zhao, H.-z. Yuan and T.-h. Li (Beijing, People's Republic of China) .....	212
Postharvest application of salicylic acid enhanced antioxidant enzyme activity and maintained quality of peach cv. 'Flordaking' fruit during storage M.J. Tareen (Quetta, Pakistan), N.A. Abbasi and I.A. Hafiz (Rawalpindi, Pakistan).....	221

Abstracted/Indexed in: Current Contents (A, B & ES), Research Alert, SciSearch, Science Citation Index; BIOSIS (Previews), Biological Abstracts; CAB Abstracts; Current Awareness in Biological Sciences (CABS); Geobase, Ecological Abstracts; EMBiology; PASCAL. Also covered in the abstract and citation database SCOPUS®. Full text available on ScienceDirect®

Utility of retrotransposon-derived marker systems for differentiation of presumed clones of the apricot cultivar Velkopavlovická M. Baránek, M. Meszáros, J. Sochorová, J. Cechová and J. Raddová (Lednice, Czech Republic).....	1
Use of rapid screening methods for detecting drought tolerant cultivars of fig ( <i>Ficus carica</i> L.) M. Gholami, M. Rahemi and S. Rastegar (Shiraz, Iran).....	7
Biochar made from green waste as peat substitute in growth media for <i>Calathea rotundifolia</i> cv. <i>Fasciata</i> Y. Tian, X. Sun, S. Li, H. Wang, L. Wang, J. Cao and L. Zhang (Beijing, China).....	15
The role of endogenous carbohydrates and seasonal variation in rooting ability of cuttings of an easy and a hard to root olive cultivars ( <i>Olea europaea</i> L.) N.-K. Denaxa, S.N. Vemmos and P.A. Roussos (Athens, Greece) .....	19
Brassinosteroid analogues effect on yield and quality parameters of field-grown lettuce ( <i>Lactuca sativa</i> L.) M. Serna, F. Hernández (Orihuela, Spain), F. Coll (Vedado, Cuba) and A. Amorós (Orihuela, Spain) .....	29
Organic acid, phenolic profile and antioxidant capacities of pomegranate ( <i>Punica granatum</i> L.) cultivars and selected genotypes M. Gundogdu (Van, Turkey) and H. Yilmaz (Kirsehir, Turkey).....	38
Arbuscular mycorrhizal fungi benefit mango ( <i>Mangifera indica</i> L.) plant growth in the field S. Mohandas (Bangalore, India).....	43
Temperature impacts changes in crown buds and flowering of gentian 'Spotlight' U.C. Samarakoon, K.A. Funnell, D.J. Woolley and E.R. Morgan (Palmerston North, New Zealand).....	49
Replacing incandescent lamps with compact fluorescent lamps may delay flowering E.S. Runkle, S.R. Padhye, W. Oh and K. Getter (East Lansing, MI, USA).....	56
The genetic diversity of <i>Paeonia</i> L. L. Ji, Q. Wang (Beijing, PR China), J.A. Teixeira da Silva (Kagawa-ken, Japan) and X.N. Yu (Beijing, PR China) .....	62
Hormonal regulation of <i>Freesia</i> cutflowers and <i>FhACS1</i> Y. Yuan, H. Qian, Y. Wang, Y. Shi and D. Tang (Shanghai, China).....	75
Growth, development and yield of transgenic 35S-thaumatin II-expressing cucumber plants - open field evaluation M. Kielkiewicz, J. Gajc-Wolska, S. Ślusarz and M. Szwacka (Warsaw, Poland).....	82
The role of <i>Glomus mosseae</i> on key physiological and biochemical parameters of pea plants grown in arsenic contaminated soil N. Garg and P. Singla (Chandigarh, India).....	92
Cotton gin trash compost in the substrate reduces the daminozide spray dose needed to produce compact potted chrysanthemum M. Papafotiou and A. Vagena (Athens, Greece) .....	102
Copper-based foliar fertilizer and controlled release urea improved soil chemical properties, plant growth and yield of tomato Q. Zhu, M. Zhang (Taian, China) and Q. Ma (Dezhou, China) .....	109
Cloning, characterization and expression analysis of key genes involved in ABA metabolism in <i>Gladiolus cornels</i> during storage X. Luo, J. Yi, X.H. Zhong, Q.L. Lian, M.A. Khan, X. Cao, X.X. Li, M.W. Gao, J. Wu, J. Chen and M.F. Yi (Beijing, China) .....	115
Identity and genetic relatedness of Bosnia and Herzegovina grapevine germplasm L. Tomić (Banjaluka, Bosnia and Herzegovina), N. Štajner (Ljubljana, Slovenia), T. Jovanović-Cvetković (Banjaluka, Bosnia and Herzegovina), M. Cvetković (Banjaluka, Bosnia and Herzegovina) and Branka Javornik (Ljubljana, Slovenia) .....	122
Use of sonication and vacuum infiltration for <i>Agrobacterium</i> - mediated transformation of an Indian lentil ( <i>Lens culinaris</i> Medik.) cultivar R. Chopra, Aparna and R. Saini (Kurukshetra, India) .....	127
The pretreatment of cucumber with methyl jasmonate regulates antioxidant enzyme activities and protects chloroplast and mitochondrial ultrastructure in chilling-stressed leaves D.-M. Li, Y.-K. Guo, Q. Li, J. Zhang, X.-J. Wang and J.-G. Bai (Shandong, PR China).....	135
Graft union formation and cell-to-cell communication via plasmodesmata in compatible and incompatible stem unions of <i>Prunus</i> spp. A. Pina, P. Errea (Zaragoza, Spain) and H.J. Martens (Frederiksberg C, Denmark) .....	144
Closing in on upper limits for root zone aqueous ozone application in mineral wool hydroponic tomato culture T. Graham, P. Zhang and M.A. Dixon (Guelph, Canada) .....	151

(Contents continued on BM I)

Available online at [www.sciencedirect.com](http://www.sciencedirect.com)

**SciVerse ScienceDirect**

Information about *Scientia Horticulturae* is available on the World Wide Web at the following address:  
<http://www.elsevier.com/locate/scihorti>



(Continued from outside back cover)

Reliable and relevant qualitative descriptors for evaluating complex architectural traits in olive progenies  
S.B.M. Hammami, R. de la Rosa, B. Sghaier-Hammami, L. León and H.F. Rapoport (Córdoba, Spain) ..... 157

Cloning, characterization and expression analysis of a 7S globulin gene in mesocarp of oil palm (*Elaeis guineensis* Jacq.)  
Y. Yuan, Y. Liang, Y. Zheng and L. Dongdong (Haikou, China) ..... 167

Influence of iodine form and application method on the effectiveness of iodine biofortification, nitrogen metabolism as well as the content  
of mineral nutrients and heavy metals in spinach plants (*Spinacia oleracea* L.)  
S. Smoleń and W. Sady (Krakow, Poland) ..... 176

'Hass' Avocado tree growth on four rootstocks in California. I.-Yield and flowering  
M.V. Mickelbart, P.W. Robinson, G. Witney and M.L. Arpaia (Riverside, CA, United States) ..... 184

Timing growth and development of *Campanula* by daily light integral and supplemental light level in a cost-efficient light control system  
K.H. Kjaer, C.-O. Ottosen (Aarslev, Denmark) and B.N. Jørgensen (Odense, Denmark) ..... 189

Influence of bicarbonate salts, used against apple scab, on selected primary and secondary metabolites in apple fruit and leaves  
A. Slatnar, F. Stampar and R. Veberic (Ljubljana, Slovenia) ..... 197

'Hass' avocado tree growth on four rootstocks in California. II. Shoot and root growth  
M.V. Mickelbart (Riverside, CA, United States and West Lafayette, IN, United States), P.W. Robinson, G. Witney and M.L. Arpaia (Riverside, CA,  
United States)..... 205

Corrigendum to "Horticultural performance of 'Folha Murcha' sweet orange onto twelve rootstocks" [Sci. Hort. 129 (2011) 259-265]  
T. Cantuarias-Avilés, F. de Assis Alves Mourão Filho (Piracicaba, Brazil), E.S. Stuchi (Bebedouro, Brazil), S.R. da Silva and E. Espinoza-Núñez  
(Piracicaba, Brazil) ..... 211

Aluminum tolerance in Centipedegrass (*Eremochloa ophiuroides* [Munro] Hack.): Excluding Al from root  
J. Yan (Nanjing, China and Shanghai, China), J. Chen (Nanjing, China), L. Yu (Shanghai, China) and J. Liu (Nanjing, China) ..... 212

Corrigendum to "Tree performance and fruit yield and quality of 'Okitsu' Satsuma mandarin grafted on 12 rootstocks" [Scientia Hort. 123  
(2010) 318-322]  
T. Cantuarias-Avilés, F. de Assis Alves Mourão Filho, E.S. Stuchi, S.R. da Silva and E. Espinoza-Núñez (Brazil) ..... 220

Abstracted/Indexed in: Current Contents (A, B & ES), Research Alert, SciSearch, Science Citation Index; BIOSIS (Previews), Biological Abstracts; CAB Abstracts; Current Awareness in Biological Sciences (CABS); Geobase, Ecological Abstracts; EMBiology; PASCAL. Also covered in the abstract and citation database SCOPUS®. Full text available on ScienceDirect®

<i>In vitro</i> mutation breeding of <i>Paphiopedilum</i> by ionization radiation L.Q. Luan, N.H.P. Uyen and V.T.T. Ha (Hochiminh City, Viet Nam).....	1
A comparative study among landraces of <i>Phaseolus vulgaris</i> L. and <i>P. coccineus</i> L. based on molecular, physicochemical and sensory analysis for authenticity purposes A.G. Mavromatis, I.S. Arvanitoyannis, V. Chatzitheodorou, A. Kaltsa, I. Patsiaoura and C.T. Nakas (Greece).....	10
Differential responses of double petal and multi petal jasmine to shading: II. Morphology, anatomy and physiology Y. Deng (Jiangsu, China), Q. Shao (Hangzhou, China), C. Li, X. Ye and R. Tang (Jiangsu, China).....	19
Relationships of morphological traits and ripening time during juvenile phase in apple B. Chashnidel (Tehran, Iran) and H. Hajnajari (Karaj, Iran).....	29
The effect of microclimate inside low tunnels on off-season production of strawberry ( <i>Fragaria</i> × <i>ananassa</i> Duch.) A. Singh (Jodhpur, India), A. Syndor (Barapani, India), B.C. Deka, R.K. Singh and R.K. Patel (Umiam, India).....	36
Plant regeneration, callus induction and establishment of cell suspension cultures of <i>Passiflora alata</i> Curtis G. Pacheco (Maracanã, Brazil), R. Garcia (Maracanã, Brazil and Rio de Janeiro, Brazil), D. Lugato, M. Vianna and E. Mansur (Maracanã, Brazil).....	42
Determination of nutrients in hydroponic solutions using mid-infrared spectroscopy R. Fan (Ontario, Canada and Jilin, China), X. Yang (Ontario, Canada), H. Xie (Shenyang, China) and M.-A. Reeb (Ontario, Canada).....	48
Yield and nutrient content of tomato ( <i>Solanum lycopersicum</i> L.) as influenced by <i>Trichoderma harzianum</i> and <i>Glomus mosseae</i> inoculation B. Nzanza, D. Marais (Hatfield, South Africa) and P. Soundy (Pretoria, South Africa).....	55
Inheritance of male sterility and presence of dominant fertility restorer gene in ridge gourd ( <i>Luffa acutangula</i> (Roxb.) L.) T. Pradeepkumar, V.C. Hegade, D. Kannan, R. Sujatha, T.E. George and S. Nirmaladevi (Thrissur, India).....	60
Leaf water status, osmotic adjustment and carbon assimilation in colored calla lilies in response to saline irrigation M.E. Veatch-Blohm, M. Malinowski and D. Keefer (Baltimore, MD, USA).....	65
Arbuscular mycorrhizal fungi alleviate growth of <i>Ulmus parvifolia</i> Jacq. at suboptimal planting depths D.L. Cartmill (Platteville, WI, United States), A. Alarcón (Estado de México, Mexico), A. Volder (College Station, TX, United States), L.A. Valdez-Aguilar (Coahuila, Mexico), M.A. Arnold (College Station, TX, United States) and A.D. Cartmill (Platteville, WI, United States).....	74
Sensitivity of peach cultivars against a Dideron isolate of <i>Plum pox virus</i> M. Rubio, P. Martínez-Gómez, J. García-Brunton (Murcia, Spain), T. Pascal (Monfavet, France), A. García-Ibarra and F. Dicenta (Murcia, Spain).....	81
Histological changes and differences in activities of some antioxidant enzymes and hydrogen peroxide content during somatic embryogenesis of <i>Musa AAA</i> cv. Yueyoukang 1 L. Ma, L. Xie (Guangzhou, China), G. Lin (Nanning, China), S. Jiang, H. Chen, H. Li (Guangzhou, China), T. Takáč (Olomouc, Czech Republic), J. Šamaj (Olomouc, Czech Republic and Nitra, Slovak Republic) and C. Xu (Guangzhou, China).....	87
Characterization of the <i>S-RNase</i> genomic DNA allele sequence in <i>Prunus speciosa</i> and <i>P. pseudocerasus</i> C. Gu (Nanjing, People's Republic of China and Wuhan, People's Republic of China), J. Wu, S.-J. Zhang, Y.-N. Yang, H.-Q. Wu, S.-T. Tao and S.-L. Zhang (Nanjing, People's Republic of China).....	93
The language of calcium in postharvest life of fruits, vegetables and flowers M.S. Aghdam (Ahar, Iran), M.B. Hassanpouraghdam (Maragheh, Iran), G. Paliyath (Guelph, Canada) and B. Farmani (Tabriz, Iran).....	102
Impact of postharvest brassinosteroids treatment on PAL activity in tomato fruit in response to chilling stress M.S. Aghdam (Ahar, Iran), M. Asghari (Urmia, Iran), B. Farmani, M. Mohayjeji (Tabriz, Iran) and H. Moradbeygi (Urmia, Iran).....	116
Effects of aminoethoxyvinylglycine (AVG) on preharvest fruit drop, fruit maturity, and quality of 'Red Chief' apple K. Yildiz, B. Ozturk and Y. Ozkan (Tokat, Turkey).....	121
Does bunch trimming affect dry matter content in banana? C. Bugaud (Martinique, France), T. Belleil (Rennes, France), M.-O. Daribo (Martinique, France) and M. Génard (Avignon, France).....	125
Visualization of the 3D structure of the graft union of grapevine using X-ray tomography M. Milien, A.-S. Renault-Spilmont (Le Grau du Roi, France), S.J. Cookson (Villeneuve d'Ornon, France), A. Sarrazin (Le Grau du Roi, France) and J.-L. Verdeil (Montpellier, France).....	130

(Contents continued on BM I)

Available online at [www.sciencedirect.com](http://www.sciencedirect.com)

**SciVerse ScienceDirect**

Information about *Scientia Horticulturae* is available on the World Wide Web at the following address:  
<http://www.elsevier.com/locate/scihorti>



(Continued from outside back cover)

Chemical characteristics and antioxidant activity of olive oils from Turkish varieties grown in Hatay province  
D. Arslan (Konya, Turkey) and M. Schreiner (Vienna, Austria)..... 141

Confirmation of hybrid origin of *Cyrtanthus* based on the sequence analysis of internal transcribed spacer  
A.K. Lee (Cheonan, South Korea), J. Hong (Nowon-Ku, South Korea), G.R. Bauchan (Beltsville, MD, USA), S.H. Park and Y.H. Joung (Gwangju, South Korea) ..... 153

Genotyping *Antirrhinum* commercial varieties using miniature inverted-repeat transposable elements (MITEs)  
J. Weiss, I. Mallona, P. Gomez-di-Marco, J.M. Fernández-Valera and M. Egea-Cortines (Cartagena, Spain)..... 161

Potential correlation between growth habit and yield of Spanish pomegranate cultivars  
Fca. Hernández, P. Melgarejo, P. Legua, R. Martínez and J.J. Martínez (Orihuela, Spain) ..... 168

Effects of chitosan coating on postharvest life and quality of guava (*Psidium guajava* L.) fruit during cold storage  
K. Hong, J. Xie, L. Zhang, D. Sun and D. Gong (Zhanjiang, People's Republic of China) ..... 172

Post-bloom mechanical thinning for can peaches using a hand-held electrical device  
B. Martin-Gorriz (Cartagena, Spain), A. Torregrosa (Valencia, Spain) and J. García Brunton (Murcia, Spain) ..... 179

Carbohydrate metabolism and its possible roles in endodormancy transition in Japanese pear  
A. Ito, D. Sakamoto and T. Moriguchi (Tsukuba, Japan) ..... 187

Effect of brassinolide on chilling injury of green bell pepper in storage  
Q. Wang (Beijing, China), T. Ding (Beijing, China and Fuzhou, China), L. Gao (Beijing, China), J. Pang (Fuzhou, China) and N. Yang (Beijing, China) ..... 195

Effects of irrigation on fruit ripening behavior and metabolic changes in olive  
F. Martinelli (Pisa, Italy and Palermo, Italy), B. Basile (Portici, Italy), G. Morelli, R. d'Andria (Ercolano, Italy) and P. Tonutti (Pisa, Italy)..... 201

Effect of 1-MCP on the expression of chlorophyll degrading genes during senescence of broccoli (*Brassica oleracea* L.)  
M.E. Gómez-Lobato, J.H. Hasperué, P.M. Civello, A.R. Chaves (La Plata, Argentina) and G.A. Martínez (La Plata, Argentina and Buenos Aires, Argentina) ..... 208

Pollination biology of *Annona squamosa* L. (Annonaceae): Evidence for pollination syndrome  
K. Kishore, A.K. Shukla, N. Babu, D.N. Sarangi and S. Patanayak (Bhubaneswar, India)..... 212

Climate change impacts on winter chill for temperate fruit and nut production: A review  
E. Luedeling (Nairobi, Kenya) ..... 218

EST sequencing and microarray analysis of the floral transcriptome of *Eustoma grandiflorum*  
S. Kawabata (Tokyo, Japan), Y. Li (Harbin, China) and K. Miyamoto (Tokyo, Japan)..... 230

Abstracted/Indexed in: Current Contents (A, B & ES), Research Alert, SciSearch, Science Citation Index; BIOSIS (Previews), Biological Abstracts; CAB Abstracts; Current Awareness in Biological Sciences (CABS); Geobase, Ecological Abstracts; EMBiology; PASCAL. Also covered in the abstract and citation database SCOPUS®. Full text available on ScienceDirect®

Leaf photosynthetic and morphological responses to elevated CO <sub>2</sub> concentration and altered fruit number in the semi-closed greenhouse T. Qian, J.A. Dieleman, A. Elings and L.F.M. Marcelis (Wageningen, The Netherlands).....	1
Early source limitation as a tool for yield control and wine quality improvement in a high-yielding red <i>Vitis vinifera</i> L. cultivar A. Palliotti, T. Gardi (Perugia, Italy), J.G. Berrios (Lugo, Spain), S. Civardi and S. Poni (Piacenza, Italy).....	10
Definition of morpho-agronomic descriptors for the characterization of yellow passion fruit J.A. Castro, C.G. Neves, O.N. de Jesus and E.J. de Oliveira (Cruz das Almas, Brazil) .....	17
Pre-harvest monitoring of apple fruits development with the use of biospeckle method M. Szymanska-Chargot, A. Adamiak and A. Zdunek (Lublin, Poland).....	23
Salicylic acid and sodium nitroprusside improve postharvest life of chrysanthemums H. Mansouri (Kerman, Iran) .....	29
Influence of temperature on the beginning of degreening in lemon peel F.J. Manera, J.M. Brotons, A. Conesa (Alicante, Spain) and I. Porras (Murcia, Spain) .....	34
Genetic diversity in a collection of European pear ( <i>Pyrus communis</i> ) cultivars determined with SSR markers chosen by ECPGR J. Sehic (Kristianstad, Sweden), L. Garkava-Gustavsson (Alnarp, Sweden), F. Fernández-Fernández (UK) and H. Nybom (Kristianstad, Sweden) .....	39
Pre- and post-production-characteristics of <i>Coprosma</i> as influenced by temperature, irradiance and nutrient treatments J. Hong (Seoul, Republic of Korea) and J.K. Suh (Chungnam, Republic of Korea) .....	46
Development of a procedure for production of haploid plants through microspore culture of roselle ( <i>Hibiscus sabdariffa</i> L.) R. Ma'arup (Selangor, Malaysia and Terengganu, Malaysia), M.A. Aziz and M. Osman (Selangor, Malaysia).....	52
Effect of plant growth regulators on banana fruit and broccoli during storage H. Huang (Guangzhou, People's Republic of China and Beijing, People's Republic of China) and Y. Jiang (Guangzhou, People's Republic of China) .....	62
Cloning and characterization of resistance gene candidate sequences and molecular marker development in gerbera ( <i>Gerbera hybrida</i> ) X. Song (Wimauma, FL, USA and Shaanxi, China), Z. Deng, L. Gong (Wimauma, FL, USA), J. Hu (Pullman, WA, USA) and Q. Ma (Shaanxi, China).....	68
Differential responses of stomatal morphology to partial root-zone drying and deficit irrigation in potato leaves under varied nitrogen rates F. Yan (Changchun, China, Beijing, China and Taastrup, Denmark), Y. Sun (Taastrup, Denmark and Yangling, China), F. Song (Changchun, China and Beijing, China) and F. Liu (Taastrup, Denmark) .....	76
Germination and cryopreservation tolerance of seeds from the rare aromatic species <i>Thymus lotocephalus</i> N. Coelho, S. Gonçalves (Faro, Portugal), M.E. González-Benito (Madrid, Spain) and A. Romano (Faro, Portugal) .....	84
Berry shrivel of grapes in Austria - Aspects of the physiological disorder with cultivar Zweigelt ( <i>Vitis vinifera</i> L.) M. Griesser (Tulln, Austria), R. Eder (Klosterneuburg, Austria), S. Besser and A. Forneck (Tulln, Austria) .....	87
Overexpression of <i>MdVHA-B</i> , a <i>V-ATPase</i> gene from apple, confers tolerance to drought in transgenic tomato D.-G. Hu, S.-H. Wang, H. Luo, Q.-J. Ma, Y.-X. Yao, C.-X. You and Y.-J. Hao (Taian, China).....	94
Isolation and characterization of germacrene A synthases gene in <i>Citrus unshiu</i> Marc T. Shimada, T. Endo (Shizuoka, Japan), A. Rodríguez (Valencia, Spain), H. Fujii, M. Nakano, A. Sugiyama, T. Shimizu (Shizuoka, Japan), L. Peña (Valencia, Spain) and M. Omura (Shizuoka, Japan).....	102
Yield response, pest damage and fruit quality parameters of scab-resistant and scab-susceptible apple cultivars in integrated and organic production systems I.J. Holb (Budapest, Hungary and Debrecen, Hungary), P. Dremák, K. Bitskey and I. Gonda (Debrecen, Hungary).....	109
Carbon assimilation of petunia cuttings in a non-disturbed rooting environment: Response to environmental key factors and adventitious root formation Y. Kłopotek, E. George (Grossbeeren, Germany), U. Druege (Erfurt-Kuehnhausen, Germany) and H.-P. Klaering (Grossbeeren, Germany) .....	118
Influence of fruit traits on oviposition preference of the olive fly, <i>Bactrocera oleae</i> (Rossi) (Diptera: Tephritidae), on three Portuguese olive varieties (Cobrançosa, Madural and Verdeal Transmontana) M.F. Gonçalves (Vila Real, Portugal), R. Malheiro (Bragança, Portugal and Porto, Portugal), S. Casal (Porto, Portugal), L. Torres (Vila Real, Portugal) and J.A. Pereira (Bragança, Portugal) .....	127
Phenotypic diversity for agronomic traits in a collection of blackcurrant ( <i>Ribes nigrum</i> L.) cultivars evaluated in Poland S. Pluta (Skierniewice, Poland), W. Mądry and L. Sieczko (Warsaw, Poland) .....	136

Available online at [www.sciencedirect.com](http://www.sciencedirect.com)

**SciVerse ScienceDirect**

Information about *Scientia Horticulturae* is available on the World Wide Web at the following address:  
<http://www.elsevier.com/locate/scihorti>





Abstracted/Indexed in: Current Contents (A, B & ES), Research Alert, SciSearch, Science Citation Index; BIOSIS (Previews), Biological Abstracts; CAB Abstracts; Current Awareness in Biological Sciences (CABS); Geobase, Ecological Abstracts; EMBiology; PASCAL. Also covered in the abstract and citation database SCOPUS®. Full text available on ScienceDirect®

Influence of early leaf removal on autochthonous and international grapevines in Sicily E. Nicolosi, A. Continella, A. Gentile, A. Cicala and F. Ferlito (Catania, Italy).....	1
Carbon isotope ratio of whole berries as an estimator of plant water status in grapevine ( <i>Vitis vinifera</i> L.) cv. 'Tempranillo' L.G. Santesteban, C. Miranda, I. Urretavizcaya and J.B. Royo (Pamplona, Spain).....	7
Prohexadione-Ca application modifies flavonoid composition and color characteristics of rose ( <i>Rosa hybrida</i> L.) flowers V. Schmitzer, R. Veberic and F. Stampar (Ljubljana, Slovenia).....	14
Characterization of the miR165 family and its target gene <i>Pp-ATHB8</i> in <i>Prunus persica</i> C. Zhang, Y. Zhang, L. Guo, J. Han, X. Li, R. Ma and M. Yu (Nanjing, PR China).....	21
Developing a core collection of litchi ( <i>Litchi chinensis</i> Sonn.) based on EST-SSR genotype data and agronomic traits Q. Sun, L. Bai (Guangzhou, China and Pingtung, Taiwan), L. Ke (Pingtung, Taiwan), X. Xiang, J. Zhao and L. Ou (Pingtung, Taiwan and Guangzhou, China).....	29
Relationships among apple fruit abscission, source strength and cultivar H. Iwanami, Y. Moriya-Tanaka, C. Honda, M. Wada, S. Moriya, K. Okada, T. Haji and K. Abe (Iwate, Japan).....	39
Internal browning of pineapple ( <i>Ananas comosus</i> L.) fruit and endogenous concentrations of abscisic acid and gibberellins during low temperature storage I. Pusittigul (Bangkok, Thailand and Nakhon Pathom, Thailand), S. Kondo (Matsudo, Japan) and J. Siriphanich (Bangkok, Thailand and Nakhon Pathom, Thailand).....	45
The effects of organic matter on the physiological features of <i>Malus hupehensis</i> seedlings and soil properties under replant conditions Z. Zhang (Tai'an, China), Q. Chen (Tai'an, China and Jinan, China), C. Yin, X. Shen, X. Chen, H. Sun, A. Gao and Z. Mao (Tai'an, China).....	52
The flower development and photoperiodism of native <i>Kalanchoe</i> spp. in Taiwan C.-H. Huang (Changhua, Taiwan) and C.-Y. Chu (Taichung, Taiwan).....	59
Field performance and (epi)genetic profile of plantain ( <i>Musa AAB</i> ) clone 'CEMSA 34' plants micropropagated by temporary immersion systems C. Noceda (Oviedo, Spain), A. Vargas (Guápiles, Costa Rica), S. Roels (Gent, Belgium), I. Cejas (Ciego de Ávila, Cuba), E. Santamaría (Oviedo, Spain), M. Escalona (Ciego de Ávila, Cuba), P. Debergh (Gent, Belgium), R. Rodríguez (Oviedo, Spain), J. Sandoval (Guápiles, Costa Rica) and M.J. Cañal (Oviedo, Spain).....	65
Cucumber green mottle mosaic virus (CGMMV) can induce hair-like tissues on genus <i>Cucumis</i> seeds S.-Y. Lee, N.K.K. Win (Daegu, Republic of Korea), D.-M. Cho (Kyonggi-do, Republic of Korea), S.-H. Lee and H.-Y. Jung (Daegu, Republic of Korea).....	76
Mapping of a gene conferring alleviation of pollen-pistil incongruity found in an interspecific cross between <i>Cucumis anguria</i> L. and <i>Cucumis melo</i> L. (melon) Y. Matsumoto (Tokyo, Japan) and M. Miyagi (Kasama, Japan).....	81
Anatomical responses to waterlogging in <i>Chrysanthemum zawadskii</i> D. Yin, Z. Zhang (Shanghai, China) and H. Luo (Nanchang, China).....	86
Genetic variability of Tunisian wild strawberry tree ( <i>Arbutus unedo</i> L.) populations interfered from isozyme markers M. Mhamdi Takrouni, I. Ben El Haj Ali, C. Messaoued and M. Boussaid (Tunis, Tunisia).....	92
Is manual pollination of yellow passion fruit completely dispensable? M.V. Silveira, A.R. Abot (Aquidauana, Brazil), J.N. Nascimento (Dourados, Brazil), E.T. Rodrigues, S.R. Rodrigues (Aquidauana, Brazil) and A. Puker (Viçosa, Brazil).....	99
Extensive genetic diversity in Iranian pomegranate ( <i>Punica granatum</i> L.) germplasm revealed by microsatellite markers M.K. alamuti, M. Zeinalabedini, M.M. Derazmahalleh, T. RoodbarShojaie, H.P. Irandoost, M. Zahravi (Karaj, Iran), M. Vazifeshenas (Yazd, Iran), M.A. Ebrahimi (Tehran, Iran), S.M.K. Nekouei, G.H. Salekdeh and M. Mardi (Karaj, Iran).....	104
Differential regulation of Pht1 phosphate transporters from trifoliolate orange ( <i>Poncirus trifoliata</i> L. Raf) seedlings B. Shu, R.-X. Xia and P. Wang (Wuhan, PR China).....	115
Yield affects qualitative kiwifruit characteristics and dry matter content may be an indicator of both quality and storability F. Famiani, A. Baldicchi, D. Farinelli (Perugia, Italy), J.G. Cruz-Castillo (Huatusco, Mexico), F. Marocchi, M. Mastroleo (Aprilia, Italy), S. Moscatello, S. Proietti and A. Battistelli (Porano, Italy).....	124
Water use in three apple cultivars from the second season to sixth season in a drainage lysimeter J. González-Talice, J.A. Yuri, V. Lepe (Talca, Chile), J. Hirzel (Chillán, Chile) and A. del Pozo (Talca, Chile).....	131
Effects of Fe-EDDHA application on iron chlorosis of citrus trees and comparison of evaluations on nutrient balance with three approaches H. Huang (Wuhan, PR China and Xingyi, PR China), C.Q. Tan, X. Hu (Wuhan, PR China), X. Hu (Huanggang, PR China), X. Sun and L. Bi (Wuhan, PR China).....	137

(Contents continued on BM I)

Available online at [www.sciencedirect.com](http://www.sciencedirect.com)

**SciVerse ScienceDirect**

Information about *Scientia Horticulturae* is available on the World Wide Web at the following address:  
<http://www.elsevier.com/locate/scihorti>



(Continued from outside back cover)

Vegetative and reproductive behaviour of some olive tree varieties ( <i>Olea europaea</i> L.) under deficit irrigation regimes in semi-arid conditions of Central Tunisia M. Aïachi Mezghani, C. Masmoudi Charfi, M. Gouiaa and F. Labidi (Sousse, Tunisia) .....	143
K <sup>+</sup> starvation causes a differential effect on shoot and root K <sup>+</sup> (Rb <sup>+</sup> ) uptake in sunflower plants M. Benlloch-González, J. García, M.-J. García-Mateo, M. Benlloch and J.-M. Fournier (Córdoba, Spain).....	153
Estimation of total bacteria on mango surface by using ATP bioluminescence K. Narsaiah, S.N. Jha, P. Jaiswal, A.K. Singh, M. Gupta and R. Bhardwaj (Ludhiana, India).....	159
Organic vegetable farms are not nutritionally disadvantaged compared with adjacent conventional or integrated vegetable farms in Eastern Australia G. Nachimuthu, P. Kristiansen, C. Guppy, P. Lockwood and K. King (Armidale, Australia).....	164
Characterization of the genetic relationships among biotypes of <i>Malus prunifolia</i> using simple sequence repeat marker M. Fu and F. Ma (Shaanxi, China) .....	169
<i>Glomus-Azotobacter</i> symbiosis in apple under reduced inorganic nutrient fertilization for sustainable and economic orcharding enterprise S.D. Sharma (Solan, India), N.C. Sharma (Shimla, India), C.L. Sharma (Tabo, India), P. Kumar (Kinnaur, India) and A. Chandel (Solan, India) .....	175
Effects of foliar spray of different Fe sources on pepper ( <i>Capsicum annum</i> L.) plants in aquaponic system H.R. Roosta and Y. Mohsenian (Rafsanjan, Iran) .....	182

Abstracted/Indexed in: Current Contents (A, B & ES), Research Alert, SciSearch, Science Citation Index; BIOSIS (Previews), Biological Abstracts; CAB Abstracts; Current Awareness in Biological Sciences (CABS); Geobase, Ecological Abstracts; EMBiology; PASCAL. Also covered in the abstract and citation database SCOPUS®. Full text available on ScienceDirect®

The effects of pre-harvest ReTain [aminoethoxyvinylglycine (AVG)] application on quality change of 'Monroe' peach during normal and controlled atmosphere storage M. Çetinbaş, S. Butar, C.E. Onursal and M.A. Koyuncu (Isparta, Turkey).....	1
Evaluation of genetic diversity among Jordanian fig germplasm accessions by morphological traits and ISSR markers D. Almajali (Amman, Jordan and Al-Karak, Jordan), A.H. Abdel-Ghani (Al-Karak, Jordan) and H. Migdadi (Amman, Jordan and Riyadh, Saudi Arabia).....	8
Genetic diversity and marker-assisted inbreeding in papaya E.J. de Oliveira, G.A.F. Oliveira, J.L. Costa, V.J. dos Santos de Oliveira, A.C.V.L. Dantas, J.L.L. Dantas (Cruz das Almas, Brazil) and J.G. Pádua (Brasília, Brazil).....	20
Genetic analysis and associated SRAP markers for horticultural traits of <i>Aechmea bromeliads</i> W. Wang, F. Zhang, X. Yu, X. Shen, Y. Ge (Hangzhou, China) and Z. Zhang (Jiaojiang, China).....	29
Acclimation to root chilling increases sugar concentrations in tomato ( <i>Solanum lycopersicum</i> L.) fruits S. Fujimura, K. Suzuki, M. Nagao and M. Okada (Morioka, Japan).....	34
Genetic mapping and localization of quantitative trait loci for chlorophyll content in Chinese cabbage ( <i>Brassica rapa</i> ssp. <i>pekinensis</i> ) Y. Ge (Shenyang, China and Harbin, China), T. Wang, N. Wang, Z. Wang, C. Liang (Shenyang, China), N. Ramchiary (Gauhati, India), S.-R. Choi, Y.P. Lim (Daejeon, Republic of Korea) and Z.Y. Piao (Shenyang, China).....	42
Transcriptome analysis of <i>Pyrus pyrifolia</i> leaf buds during transition from endodormancy to ecodormancy C. Nishitani, T. Saito (Tsukuba, Japan), B.E. Ubi (Tsukuba, Japan and Abakaliki, Nigeria), T. Shimizu (Shimizu, Japan), A. Itai (Tottori, Japan), T. Saito, T. Yamamoto and T. Moriguchi (Tsukuba, Japan).....	49
Phenolic acids, flavonols, anthocyanins and antiradical activity of "Nero", "Viking", "Galicianka" and wild chokeberries L. Jakobek, M. Drenjančević, V. Jukić and M. Šeruga (Osijek, Croatia).....	56
Irradiation as a postharvest quarantine treatment for a new pluot cultivar A.J. Duvenhage, M. Jooste and S.A. Johnson (Matieland, South Africa).....	64
Tolerance of trifoliolate citrus rootstock hybrids to <i>Candidatus Liberibacter asiaticus</i> U. Albrecht and K.D. Bowman (Fort Pierce, FL, USA).....	71
Phytochemical and antioxidant attributes of autochthonous Turkish pomegranates O. Caliskan and S. Bayazit (Antakya, Turkey).....	81
Molecular characterization of selected wild species and miniature roses based on SSR markers M. Akond (Dallas, TX, USA), S. Jin (Harbin, China) and X. Wang (Dallas, TX, USA and College Station, TX, USA).....	89
Effect of pollen source on quantitative and qualitative characteristics of dried figs ( <i>Ficus carica</i> L.), cvs 'Payves' and 'Sabz' in Kazerun – Iran M. Pourghayoumi, D. Bakhshi (Rasht, Iran), M. Rahemi and M. Jafari (Shiraz, Iran).....	98
<i>In vitro</i> plant regeneration from unpollinated ovaries of <i>Allium chinense</i> A.A. Bah, Z.-D. Wang, X.-Q. Wang, M.-M. Yan (Hangzhou, China), Y.-C. Um (Suwon, Republic of Korea), Z. Xu and D.-P. Guo (Hangzhou, China).....	105
Relationship between physical and chemical parameters for four commercial grape varieties from the Bierzo region (Spain) A.B. González-Fernández, V. Marcelo (Ponferrada, Spain), J.B. Valenciano (León, Spain) and J.R. Rodríguez-Pérez (Ponferrada, Spain).....	111
Effect of hot air treatment on organic acid- and sugar-metabolism in Ponkan ( <i>Citrus reticulata</i> ) fruit M. Chen (Hangzhou, PR China and Nanchang, PR China), Q. Jiang, X.-R. Yin, Q. Lin (Hangzhou, PR China), J.-Y. Chen (Nanchang, PR China), A.C. Allan (Auckland, New Zealand), C.-J. Xu and K.-S. Chen (Hangzhou, PR China).....	118
Physiological and biochemical response to photooxidative stress of the fundamental citrus species J. Santini (San Giuliano, France and Corte, France), J. Giannettini (Corte, France), S. Herbette (Clermont-Ferrand, France), O. Pailly (San Giuliano, France), P. Ollitrault (Montpellier, France), F. Luro (San Giuliano, France) and L. Berti (Corte, France).....	126
Artificial light from light emitting diodes (LEDs), with a high portion of blue light results in shorter poinsettias compared to high pressure sodium (HPS), lamps M.A. Islam, G. Kuwar, J.L. Clarke, D.-R. Blystad, H.R. Gislerød, J.E. Olsen and S. Torre (Ås, Norway).....	136

Available online at [www.sciencedirect.com](http://www.sciencedirect.com)

**SciVerse ScienceDirect**

Information about *Scientia Horticulturae* is available on the World Wide Web at the following address:  
<http://www.elsevier.com/locate/scihorti>



Abstracted/Indexed in: Current Contents (A, B & ES), Research Alert, SciSearch, Science Citation Index; BIOSIS (Previews), Biological Abstracts; CAB Abstracts; Current Awareness in Biological Sciences (CABS); Geobase, Ecological Abstracts; EMBiology; PASCAL. Also covered in the abstract and citation database SCOPUS®. Full text available on ScienceDirect®

Analyses of early rough bark phenotype found in seedlings of a cross between the European pear 'Bartlett' and the Chinese pear 'Yali' A. Ogata (Sendai, Japan), A. Itai (Tottori, Japan), M. Nishiyama, H. Ikeda, K. Kanahama and Y. Kanayama (Sendai, Japan) .....	1
Effects of different rootstocks on aroma volatile compounds and carotenoid content of melon fruits C. Condurso, A. Verzera, G. Dima, G. Tripodi (Messina, Italy), P. Crinò (Roma, Italy), A. Paratore and D. Romano (Catania, Italy) .....	9
Drought tolerance of intergeneric hybrids between <i>Chrysanthemum morifolium</i> and <i>Ajania przewalskii</i> Y. Deng, J. Jiang, S. Chen, C. Huang, W. Fang and F. Chen (Nanjing, China) .....	17
Exogenous glucose preserves the quality of watermelon ( <i>Citrullus lanatus</i> ) plug seedlings for low-temperature storage W. Jiang, M. Ding, Q. Duan, Q. Zhou and D. Huang (Shanghai, China) .....	23
Micropropagation of herbaceous peony ( <i>Paeonia lactiflora</i> Pall.) M. Shen, Q. Wang, X. Yu (Beijing, PR China) and J.A. Teixeira da Silva (Kagawa-ken, Japan) .....	30
Chlorophyll <i>a</i> fluorescence OJIP transient as a tool to characterize and evaluate response to heat and chilling stress in tomato leaf and fruit K. Zushi, S. Kajiwara and N. Matsuzoe (Kumamoto, Japan) .....	39
Agro-morphological markers and organo-sulphur compounds to assess diversity in Tunisian garlic landraces N. Jabbes (Chott Mariem, Tunisia), I. Arnault, J. Auger (Tours, France), B. Al Mohandes Dridi and C. Hannachi (Chott Mariem, Tunisia)...	47
Promoting effect of orchid mycorrhizal fungi <i>Epulorhiza</i> isolates on seed germination of <i>Dendrobium</i> orchids P. Swangmaneecharern, P. Serivichyaswat and S. Nontachaiyapoom (Chiang Rai, Thailand) .....	55
Incompatible (S-) genotypes of sweet cherry cultivars ( <i>Prunus avium</i> L.) M. Schuster (Germany) .....	59
Estimation of phenotypic divergence in a collection of <i>Cucumis melo</i> , including shelf-life of fruit S.H. Manohar and H.N. Murthy (Dharwad, India) .....	74
Oligofructans content and yield of yacon ( <i>Smallanthus sonchifolius</i> ) cultivated in Mississippi J. Sumiyanto (Abbeville, MS, USA), F.E. Dayan (MS, USA), A.L. Cerdeira (Jaguariuna, Brazil), Y.-H. Wang (MS, USA), I.A. Khan (Abbeville, MS, USA) and R.M. Moraes (Abbeville, MS, USA) .....	83
Guttation droplets of the edible mushroom <i>Suillus bovinus</i> as a new source of natural antioxidants E. Pereira, I. Oliveira and P. Baptista (Bragança, Portugal) .....	89
The effect of preharvest Ca treatment on concentration of polyphenols and antioxidant capacity of 'Pirja' and 'Maikki' apples grown on different rootstocks L. Mainla, U. Moor, K. Karp and T. Tõnutare (Tartu, Estonia) .....	93
Membrane deterioration, enzymatic browning and oxidative stress in fresh fruits of three litchi cultivars during six-day storage J. Sun, C. Li (Nanning, PR China), K. Nagendra Prasad (Bandar Sunway, Malaysia), X. You, L. Li, F. Liao, H. Peng, X. He, Z. Li and Y. Zhang (Nanning, PR China) .....	97
Cryopreservation of <i>Prunus cerasus</i> through vitrification and replacement of cold hardening with preculture on medium enriched with sucrose and/or glycerol G. Barraco, P. Chatelet (Montpellier, France), E. Balsemin, T. Decourcelle (Villeneuve, France), I. Sylvestre and F. Engelmann (Montpellier, France) .....	104
Biochemical responses in leaves of four fig cultivars subjected to water stress and recovery M. Gholami (Isfahan, Iran), M. Rahemi, B. Kholdebarin and S. Rastegar (Shiraz, Iran) .....	109
A comparison of the costs of flowering in 'Feizixiao' and 'Baitangying' litchi S.-Y. Jiang (Guangzhou, China), H.-Y. Xu (Guangzhou, China and Zhanjiang, China), H.-C. Wang, G.-b. Hu, J.-G. Li, H.-B. Chen and X.-m. Huang (Guangzhou, China) .....	118
<i>In vitro</i> induction of polyploidy in <i>Cercis glabra</i> Pamp J.D. Nadler (College Park, MD, USA), M. Pooler, R.T. Olsen (Beltsville, MD, USA) and G.D. Coleman (College Park, MD, USA) .....	126
Cluster drop phenomenon in hazelnut ( <i>Corylus avellana</i> L.). Impact on productivity, nut traits and leaf nutrients content T. Milošević and N. Milošević (Cacak, Serbia) .....	131
Biochemical properties of compost tea associated with compost quality and effects on pak choi growth A.P. Pant, T.J.K. Radovich, N.V. Hue and R.E. Paull (Honolulu, HI, USA) .....	138
Analysis of genetic relationship between 'Bakraee' ( <i>Citrus</i> sp.) and some known Citrus genotypes through SSR and PCR-RFLP markers B. Golein (Ramsar, Islamic Republic of Iran), M. Bigonah, M. Azadvar (Jiroft, Islamic Republic of Iran) and M. Golmohammadi (Ramsar, Islamic Republic of Iran) .....	147
Cryopreservation of <i>Dendrobium</i> hybrid seeds and protocorms as affected by phloroglucinol and Supercool X1000 R.F. Galdiano Jr., E.G.M. Lemos (Jaboticabal, Brazil), R.T. Faria (Londrina, Brazil) and W.A. Vendrame (Homestead, FL, USA) .....	154

(Contents continued on BM IV)

Available online at [www.sciencedirect.com](http://www.sciencedirect.com)

**SciVerse ScienceDirect**

Information about *Scientia Horticulturae* is available on the World Wide Web at the following address:  
<http://www.elsevier.com/locate/scihorti>



(Continued from outside back cover)

Biotechnology of tamarillo ( <i>Cyphomandra betacea</i> ): From <i>in vitro</i> cloning to genetic transformation S.I. Correia and J.M. Canhoto (Coimbra, Portugal).....	161
Impact of rootstock and interstems on fine root survivorship and seasonal variation in apple C. Hou, L. Ma, F. Luo, Y. Wang, X. Zhang and Z. Han (Beijing, PR China).....	169
Effect of ripening stage on physicochemical properties and antioxidant profiles of a promising table fruit 'pear-jujube' ( <i>Zizyphus jujuba</i> Mill.) C.-S. Wu, Q.-H. Gao, X.-D. Guo, J.-G. Yu and M. Wang (Yangling, PR China).....	177
Some physicochemical characteristics, bioactive content and antioxidant capacity of loquat ( <i>Eriobotrya japonica</i> (Thunb.) Lindl.) fruits from Turkey S. Ercisli, S. Gozlekci (Erzurum, Turkey), M. Sengul (Antalya, Turkey), A. Hegedus (Budapest, Hungary) and S. Tepe (Antalya, Turkey).....	185
Applications of xerophytophysiology in plant production—LED blue light as a stimulus improved the tomato crop H.-I. Xu, Q. Xu (Nagano, Japan), F. Li, Y. Feng (Harbin, China), F. Qin (Nagano, Japan and Qingdao, China) and W. Fang (Taipei, Taiwan).....	190
Alleviation of salt-induced adverse effects in pepper seedlings by seed application of glycinebetaine A. Korkmaz, R. Şirikçi, F. Kocaçınar, Ö. Değer (Kahramanmaraş, Turkey) and A.R. Demirkınan (Bingöl, Turkey).....	197
Using arbuscular mycorrhizal fungi to improve the nutrient quality of crops; nutritional benefits in addition to phosphorus M.M. Hart and J.A. Forsythe (Kelowna, Canada).....	206
Interspecific crosses within the <i>Streptocarpus</i> subgenus <i>Streptocarpella</i> and intergeneric crosses between <i>Streptocarpella</i> and <i>Saintpaulia ionantha</i> genotypes R. Afkhami-Sarvestani, M. Serek and T. Winkelmann (Hannover, Germany) .....	215
Assessment of genetic diversity in <i>Psidium guajava</i> L. using different approaches S.M. Coser, M.F.d.S. Ferreira, A. Ferreira, L.K. Mitre (Alegre, Brazil), C.R. Carvalho (Viçosa, Brazil) and W.R. Clarindo (Alegre, Brazil).....	223
Characterization and evaluation of genetic diversity of Iranian mango ( <i>Mangifera indica</i> L., Anacardiaceae) genotypes using microsatellites M. Shamili, R. Fatahi (Iran) and J.I. Hormaza (Málaga, Spain) .....	230
Exogenous p-hydroxybenzoic acid regulates antioxidant enzyme activity and mitigates heat stress of cucumber leaves J. Zhang, D.-M. Li, W.-J. Sun, X.-J. Wang and J.-G. Bai (Tai'an, PR China) .....	235
Differential expression analysis of different albescent stages of 'Anji Baicha' ( <i>Camellia sinensis</i> (L.) O. Kuntze) using cDNA microarray C.-L. Ma, L. Chen, X.-C. Wang, J.-Q. Jin, J.-Q. Ma, M.-Z. Yao and Z.-L. Wang (Hangzhou, China) .....	246
Molecular polymorphism and genetic relationships in date palm ( <i>Phoenix dactylifera</i> L.): The utility of nuclear microsatellite markers S. Zehdi, E. Cherif, S. Rhouma (Tunis, Tunisia), S. Santoni (Montpellier, France), A.S. Hannachi (Tunis, Tunisia) and J.C. Pintaud (Montpellier, France).....	255