



# Ecological Research

The Ecological Society of Japan





# Ecological Research

The Ecological Society of Japan

Volume 32 • Number 1 • January 2017

## ■ Data Papers

*Takamura N, Nakagawa M, Hanazato T*  
Zooplankton abundance in the pelagic region of Lake Kasumigaura (Japan): monthly data since 1980 1

*Komiyama A, Kato S, Pongparn S, Sangtiew T, Maknual C, Piriayotha S, Jintana V, Prawiroatmodjo S, Sastrosuwondo P, Ogino K*  
Comprehensive dataset of mangrove tree weights in Southeast Asia 3

## ■ Miyadi Award

*Nakazawa T*  
Individual interaction data are required in community ecology: a conceptual review of the predator–prey mass ratio and more 5

## ■ Current Topics in Ecology

*Papadopoulou GV, van Dam NM*  
Mechanisms and ecological implications of plant-mediated interactions between belowground and aboveground insect herbivores 13

## ■ Original Articles

*Terui A, Akasaka T, Negishi JN, Uemura F, Nakamura F*  
Species-specific use of allochthonous resources by ground beetles (Carabidae) at a river–land interface 27

*Torres J, Marques J, Alves P, Costa H, Honrado J*  
Local lithological drivers of post-fire vegetation recovery and implications for fire-prone regions 37

*Umnouysin S, Sangtiew T, Pongparn S*  
Zonal distribution of coarse woody debris and its contribution to net primary production in a secondary mangrove forest 51

*Xia J, Ma Y, Fu C, Fu S, Cooke SJ*

Effects of temperature acclimation on the critical thermal limits and swimming performance of *Brachymystax lenok tsinlingensis*: a threatened fish in Qinling Mountain region of China 61

*Ottonello D, D'Angelo S, Oneto F, Malavasi S, Zuffi MAL*  
Feeding ecology of the Sicilian pond turtle *Emys trinacris* (Testudines, Emydidae) influenced by seasons and invasive aliens species 71

## ■ Note and Comment

*Arroyo-Rodríguez V, Saldaña-Vázquez RA, Fahrig L, Santos BA*  
Does forest fragmentation cause an increase in forest temperature? 81

## ■ Technical Reports

*Miyazaki Y, Murase A, Sahara R, Angulo A, Senou H*  
Adding fish images taken in other countries to the biodiversity database of a Japanese public museum, with report of range extension of *Labrisomus jenkinsi* from the Pacific coast of Costa Rica 89

*Johnston E, Kindermann G, O'Callaghan J, Burke D, McLaughlin C, Horgan S, Mc Donnell R, Williams C, Gormally M*  
Monitoring the EU protected *Geomalacus maculosus* (Kerry Slug): what are the factors affecting catch returns in open and forested habitats? 95



# Ecological Research

The Ecological Society of Japan

Volume 32 • Number 2 • March 2017

## ■ Data Papers

*Itô H, Sumida A*

Allometric and growth data of an evergreen oak, *Quercus glauca*, in a secondary broadleaved forest 105

*Nagai S, Nasahara KN*

Seasonal leaf phenology data for 12 tree species in a cool-temperate deciduous broadleaved forest in Japan from 2005 to 2014 107

## ■ Original Articles

*Hawro V, Ceryngier P, Kowalska A, Ulrich W*

Landscape structure and agricultural intensification are weak predictors of host range and parasitism rate of cereal aphids 109

*Tsunoda Y, Furukawa S, Mizunaga H*

How does the longevity of *Sasa kurilensis* ramets respond to a light gradient? An analysis of ontogenetic changes to hydraulic resistance and carbon budget within a ramet 117

*Sosa RA, Lopez de Casenave J*

Edge effect on bird nest predation in the fragmented caldén (*Prosopis caldenia*) forest of central Argentina: an experimental analysis 129

*Gruwez R, De Frenne P, De Schrijver A, Vangansbeke P, Verheyen K*

Climate warming and atmospheric deposition affect seed viability of common juniper (*Juniperus communis*) via their impact on the nutrient status of the plant 135

*Okada K, Aiba S, Kitayama K*

Influence of temperature and soil nitrogen and phosphorus availabilities on fine-root productivity in tropical rainforests on Mount Kinabalu, Borneo 145

*Kato S, Fukasawa Y, Seiwa K*

Canopy tree species and openness affect foliar endophytic fungal communities of understory seedlings 157

*Qi L, Yang J*

Microbial community composition regulates SOC decomposition response to forest conversion in a Chinese temperate forest 163

*Ando Y, Fukasawa Y, Oishi Y*

Interactive effects of wood decomposer fungal activities and bryophytes on spruce seedling regeneration on coarse woody debris 173

*Wakui A, Sueyoshi M, Shimokawabe A, Kudo G, Morimoto J,*

*Nakamura F*

Environmental factors determining the distribution of highland plants at low-altitude algalic talus sites 183

*Błońska E, Kacprzyk M, Spólnik A*

Effect of deadwood of different tree species in various stages of decomposition on biochemical soil properties and carbon storage 193

*Hema EM, Barnes RFW, Di Vittorio M, Luiselli L, Guenda W*

Selective disturbance by elephants (*Loxodonta africana*) on eight tree species in a West African savannah 205

*Ueda MU, Onoda Y, Kamiyama C, Hikosaka K*

Decades-long effects of high CO<sub>2</sub> concentration on soil nitrogen dynamics at a natural CO<sub>2</sub> spring 215

*Inoue T, Fukuzawa K, Watanabe T, Yoshida T, Shibata H*

Spatial pattern of soil nitrogen availability and its relationship to stand structure in a coniferous-broadleaved mixed forest with a dense dwarf bamboo understory in northern Japan 227

*Cui Y-Q, Ma J-Y, Feng Q, Sun J-H, Sun W*

Water sources and water-use efficiency of desert plants in different habitats in Dunhuang, NW China 243

*Cherkaoui SI, Selmi S, Hanane S*

Ecological factors affecting wetland occupancy by breeding Anatidae in the southwestern mediterranean 259

## ■ Note and Comment

*Kubota T, Kagawa A, Kodama N*

Effects of salt water immersion caused by a tsunami on  $\delta^{13}\text{C}$  and  $\delta^{18}\text{O}$  values of *Pinus thunbergii* tree-ring cellulose 271

## ■ Technical Reports

*Urakawa R, Ohte N, Shibata H, Tateno R, Inagaki Y, Oda T, Toda H,*

*Fukuzawa K, Watanabe T, Hishi T, Oyanagi N, Nakata M,*

*Fukushima K, Nakanishi A*

Estimation of field soil nitrogen mineralization and nitrification rates using soil N transformation parameters obtained through laboratory incubation 279

*Liu Y, De Boeck HJ, Wellens MJ, Nijls I*

A simple method to vary soil heterogeneity in three dimensions in experimental mesocosms 287





# Ecological Research

The Ecological Society of Japan

Volume 32 • Number 3 • May 2017

## ■ Data Paper

*Nagai S, Nasahara KN, Yoshitake S, Saitoh TM*  
Seasonality of leaf litter and leaf area index data for various tree species in a cool-temperate deciduous broad-leaved forest, Japan, 2005–2014 297

## ■ Biodiversity in Asia

*Kusumoto B, Shiono T, Konoshima M, Yoshimoto A, Tanaka T, Kubota Y*  
How well are biodiversity drivers reflected in protected areas? A representativeness assessment of the geohistorical gradients that shaped endemic flora in Japan 299

## ■ Original Articles

*Wu F-Y, Yahara T*  
Recurved *Taraxacum* phyllaries function as a floral defense: experimental evidence and its implication for *Taraxacum* evolutionary history 313

*Sun L, Kominami Y, Yoshimura K, Kitayama K*  
Root-exudate flux variations among four co-existing canopy species in a temperate forest, Japan 331

*Moreno ML, Rossetti MR, Pérez-Harguindeguy N, Valladares GR*  
Edge and herbivory effects on leaf litter decomposability in a subtropical dry forest 341

*Yasuda CI, Otoda M, Nakano R, Takiya Y, Koga T*  
Seasonal change in sexual size dimorphism of the major cheliped in the hermit crab *Pagurus minutus* 347

*Ávila AC, Stenert C, Rodrigues ENL, Maltchik L*  
Habitat structure determines spider diversity in highland ponds 359

*Kuroiwa A, Kuroe M, Yahara T*  
Effects of density, season, and food intake on sika deer nutrition on Yakushima Island, Japan 369

*Miura K*

Patterns in the autotomized adults of two sympatric, closely related grasshopper species in their natural habitat 379

*Zhu Y, Wang D, Codella SG*

Seed re-dispersal of four myrmecochorous plants by a keystone ant in central China 387

*Liu S, Tang Y, Zhang F, Du Y, Lin L, Li Y, Guo X, Li Q, Cao G*  
Changes of soil organic and inorganic carbon in relation to grassland degradation in Northern Tibet 395

*Li C, Zhu J, Sha L, Zhang J, Zeng Q, Liu G*

Rice (*Oryza sativa* L.) growth and nitrogen distribution under elevated CO<sub>2</sub> concentration and air temperature 405

*Osono T*

Leaf litter decomposition of 12 tree species in a subtropical forest in Japan 413

*Cibils-Martina L, Principe RE, Márquez JA, Gari EN, Albariño RJ*  
Succession of algal communities in headwaters: a comparison of pine afforested and natural grassland streams 423

*Luiz AL, Perlatti B, Marques FA, Rodrigues-Filho E, Costa EN, Ribeiro ZA, Eduardo WI, Boiça-Júnior AL, Imatomi M, Gorecki T, Forim MR*

Efficacy of botanical extracts from Brazilian savannah against *Diabrotica speciosa* and associated bacteria 435

## ■ Technical Report

*Inoue A, Sakamoto M*

Comparing the methods for quantifying the culm surface area of bamboo, *Phyllostachys pubescens* 445



# Ecological Research

The Ecological Society of Japan

Volume 32 • Number 4 • July 2017

## ■ Forum

*Tsunoda T, Kusumoto B, Okada K, Aoshima Y, Kume A*  
The 30th anniversary of *Ecological Research*: past, present, and future 451

## ■ Data Paper

*Nave A, Crespi AL, Gonçalves F, Campos M, Torres L*  
Native Mediterranean plants as potential food sources for natural enemies of insect pests in olive groves 459

## ■ Miyadi Award

*Takahashi Y*  
Genome-wide population genetic analysis identifies evolutionary forces establishing continuous population divergence 461

## ■ Original Articles

*Murata M, Nagata Y, Nara K*  
Soil spore banks of ectomycorrhizal fungi in endangered Japanese Douglas-fir forests 469

*Makino W, Maruoka N, Nakagawa M, Takamura N*  
DNA barcoding of freshwater zooplankton in Lake Kasumigaura, Japan 481

*Goldingay RL*  
Does nest box use reduce the fitness of a tree-cavity dependent mammal? 495

*Tatsumi S, Ohgue T, Azuma W, Tuovinen V, Imada Y, Mori AS, Thor G, Ränlund Å*  
Tree hollows can affect epiphyte species composition 503

*Maisto G, Milano V, Santorufo L*  
Relationships among site characteristics, taxonomical structure and functional trait distribution of arthropods in forest, urban and agricultural soils of Southern Italy 511

*Huang X, Luo G, Lv N*  
Spatio-temporal patterns of grassland evapotranspiration and water use efficiency in arid areas 523

*Iku A, Itioka T, Kishimoto-Yamada K, Shimizu-kaya U, Mohammad FB, Hossman MY, Bunyok A, Rahman MYA, Sakai S, Meleng P*  
Increased seed predation in the second fruiting event during an exceptionally long period of community-level masting in Borneo 537

*Miyazawa Y, Inoue A, Maruyama A, Otsuki K, Giambelluca TW*  
Transpiration of trees in a cool temperate forest on Mt. Aso, Japan: comparison of model simulation and measurements 547

*Krams IA, Rumvolt K, Saks L, Krams R, Elferts D, Vrublevska J, Rantala MJ, Kecko S, Cīrule D, Luoto S, Krama T*  
Reproduction compromises adaptive immunity in a cyprinid fish 559

*Atsumi K, Koizumi I*  
Web image search revealed large-scale variations in breeding season and nuptial coloration in a mutually ornamented fish, *Tribolodon hakonensis* 567

*Vanneste T, Michelsen O, Graae BJ, Kyrkjeeide MO, Holien H, Hassel K, Lindmo S, Kapás RE, De Frenne P*  
Impact of climate change on alpine vegetation of mountain summits in Norway 579

*Escudero A, del Río T, Sánchez-Zulueta P, Mediavilla S*  
Ontogenetic changes in crown architecture and leaf arrangement: effects on light capture efficiency in three tree species differing in leaf longevity 595

*Kawakami T, Makoto K*  
Does an earthworm species acclimatize and/or adapt to soil calcium conditions? The consequences of soil nitrogen mineralization in forest soil 603

*Yin X, Qi W, Du G*  
Diversity effects under different nutrient addition and cutting frequency environments in experimental plant communities 611

*Kobayashi M, Kitabayashi K, Tuno N*  
Spore dissemination by mycophagous adult drosophilids 621

## ■ Note and Comment

*Miyazaki Y, Satake A*  
Relationship between seasonal progression of floral meristem development and *FLOWERING LOCUS T* expression in the deciduous tree *Fagus crenata* 627





# Ecological Research

The Ecological Society of Japan

Volume 32 • Number 5 • September 2017

## ■ Current Topics in Ecology

*Doi H, Gordo O, Mori T, Kubo MT*

A macroecological perspective for phenological research under climate change 633

## ■ Original Articles

*Shigeta K, Tsuma S, Yonekura R, Kakamu H, Maruyama A*

Isotopic analysis of epidermal mucus in freshwater fishes can reveal short-time diet variations 643

*Banerjee AK, Dewanji A*

Native exotic relationships in plant communities: the role of exotic dominance in framing community composition 653

*Mangachena JR, Geerts S*

Invasive alien trees reduce bird species richness and abundance of mutualistic frugivores and nectarivores; a bird's eye view on a conflict of interest species in riparian habitats 667

*Tanaka K, Tokuda M*

Phenological specialisation of two ant-dispersed sedges in relation to requirements for qualitative and quantitative dispersal effectiveness 677

*Bao H, Dou H, Ma Y, Liu H, Jiang G*

Moose winter diet components from feces and field feeding signs: consistency and variability related to forage availability and nutritional requirements 685

*Sakai M, Suda S, Okeda T, Washitani I*

Identifying priority habitats and monitoring species for conservation and restoration of lentic Odonata habitats: assemblage nestedness on Amami-Oshima Island, Japan 693

*López-Montoya AJ, Moro J, Azorit C*

Drivers of population growth variations for two Mediterranean sympatric Deer 703

*Chen S, Yoshitake S, Imura Y, Asai C, Ohtsuka T*

Dissolved organic carbon (DOC) input to the soil: DOC fluxes and their partitions during the growing season in a cool-temperate broad-leaved deciduous forest, central Japan 713

*Hishi T, Urakawa R, Shibata H*

Effects of soil origin and current microclimate conditions on nitrogen mineralization in forest soil on different slope aspects in Hokkaido, Japan 725

*Ohnishi N, Kobayashi S, Nagata J, Yamada F*

The influence of invasive mongoose on the genetic structure of the endangered Amami rabbit populations 735

*Goldingay RL, Taylor BD*

Can field trials improve the design of road-crossing structures for gliding mammals? 743

## ■ Note and Comment

*Dahirel M, Vong A, Ansart A, Madec L*

Individual boldness is life stage-dependent and linked to dispersal in a hermaphrodite land snail 751

## ■ Technical Report

*Happel A, Czesny S, Rinchard J, Hanson SD*

Data pre-treatment and choice of resemblance metric affect how fatty acid profiles depict known dietary origins 757



# Ecological Research

The Ecological Society of Japan

Volume 32 • Number 6 • November 2017

Special Feature on Filling the Gaps

## ■ Data Paper

Fukasawa K, Mishima Y, Yoshioka A, Kumada N, Totsu K  
Acoustic monitoring data of avian species inside and outside the evacuation zone of the Fukushima Daiichi power plant accident 769

## ■ Oshima Award

Han Q, Kabeya D  
Recent developments in understanding mast seeding in relation to dynamics of carbon and nitrogen resources in temperate trees 771

## ■ Special Feature: Filling the Gaps Editorial

Nakamura M, Hsieh C, Miki T, Kondoh M  
Establishment of an ecological research network involving Taiwan and Japan: developing a better understanding of ecological phenomena unique to East Asia 779

## ■ Special Feature: Data Paper

Iwayama A, Ogura H, Hirama Y, Chang C-W, Hsieh C, Kagami M  
Phytoplankton species abundance in Lake Inba (Japan) from 1986 to 2016 783

## ■ Special Feature: Biwako Prize for Ecology

Chang C-W, Ushio M, Hsieh C  
Empirical dynamic modeling for beginners 785

## ■ Special Feature: Original Articles

Liu W-C, Lai S-M, Chen H-W  
A topological similarity-based bootstrapping method for inferring food web parameters 797

Nakadai R  
Species diversity of herbivorous insects: a brief review to bridge the gap between theories focusing on the generation and maintenance of diversity 811

Weng C-Y, Yang K-C, Hsieh C-F, Hsieh C, Su M-H  
Local neighborhood communities in the understory play a critical role by affecting regeneration niches and subsequent community assembly in a montane cloud forest 821

Laplace S, Komatsu H, Tseng H, Kume T

Difference between the transpiration rates of Moso bamboo (*Phyllostachys pubescens*) and Japanese cedar (*Cryptomeria japonica*) forests in a subtropical climate in Taiwan 835

Lin M-Y, Hsieh I-F, Lin P-H, Laplace S, Ohashi M, Chen T-H, Kume T

Moso bamboo (*Phyllostachys pubescens*) forests as a significant carbon sink? A case study based on 4-year measurements in central Taiwan 845

Erratum 859

Itoh M, Kojima H, Ho P-C, Chang C-W, Chen T-Y, Hsiao SS-Y, Kobayashi Y, Fujibayashi M, Kao S-J, Hsieh C, Fukui M, Okuda N, Miki T, Shiah F-K

Integrating isotopic, microbial, and modeling approaches to understand methane dynamics in a frequently disturbed deep reservoir in Taiwan 861

## ■ Special Feature: Perspective Paper

Chen I-C, Hsieh C, Kondoh M, Lin H-J, Miki T, Nakamura M, Ohgushi T, Urabe J, Yoshida T

Filling the gaps in ecological studies of socioecological systems 873

## ■ Original Articles

Luo Y, Zhao X, Zuo X, Li Y, Wang T

Plant responses to warming and increased precipitation in three categories of dune stabilization in northeastern China 887

Aadreaan, Usio N

Small-clawed otters (*Aonyx cinereus*) in Indonesian rice fields: latrine site characteristics and visitation frequency 899

N'Dri JK, Seka FA, Pokou PK, N'Da RAG, Lagerlöf J

Abundance and diversity of soil mite (Acari) communities after conversion of tropical secondary forest into rubber plantations in Grand-Lahou, Côte d'Ivoire 909

Contents continued on inside back cover